Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1	2/15/02	Armada	23	MCHD	1				
2	2/15/02	Armada	23	MCHD	31				
3	2/15/02	Armada	23	MCHD	85				
4	2/15/02	Armada	23	MCHD	97				
5	2/15/02	Armada	23	MCHD	2142				
6	2/15/02	Armada	23	MCHD	1541				
7	2/15/02	Armada	23	MCHD	63				
8	2/15/02	Armada	23	MCHD	No sample				
9	2/15/02	Armada	23	MCHD	98				
10	2/15/02	Armada	24	MCHD	4106				
11	5/7/02	Clinton	3	MCHD	No sample				
12	5/7/02	Clinton	3	MCHD	No sample				
13	5/7/02	Clinton	3	MCHD	61	3			
14	5/7/02	Clinton	3	MCHD	609			1000	59.6
15	5/7/02	Clinton	3	MCHD	175			843	59
16	5/7/02	Clinton	3	MCHD	No sample				
17	5/7/02	Clinton	2	MCHD	169	0.4		1403	50.8
18	5/7/02	Clinton	2	MCHD	24192	10	0.25	805	50.6
19	5/7/02	Clinton	2	MCHD	No sample				
20	5/7/02	Clinton	2	MCHD	2400				
21	5/7/02	Clinton	2	MCHD	No sample				
22	5/14/02	Macomb	12	MCHD	1			388	54
23	5/14/02	Macomb	12	MCHD	24192	7.5	3	1307	51
24	5/14/02	Macomb	12	MCHD	No sample				
25	5/14/02	Macomb	12	MCHD	1130			807	57
26	5/14/02	Macomb	12	MCHD	No sample				
27	5/14/02	Macomb	12	MCHD	105				
28	5/14/02	Macomb	12	MCHD	10			700	52
29	5/14/02	Macomb	12	MCHD	No sample				
30	5/14/02	Macomb	12	MCHD	238				
31	5/14/02	Macomb	12	MCHD	No sample				
32	5/15/02	Macomb	12	MCHD	No sample				
33	5/15/02	Macomb	12	MCHD	1	0.1		914	50.5
34	5/15/02	Macomb	12	MCHD	84				
35	5/15/02	Macomb	1	MCHD	683			813	51.5
36	5/15/02	Macomb	1	MCHD	1			1031	52.5
37	5/15/02	Macomb	1	MCHD	31			1288	49.4
38	5/15/02	Macomb	1	MCHD	No sample				
39	5/15/02	Macomb	1	MCHD	0			803	49.2
40	5/15/02	Macomb	1	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
41	5/15/02	Macomb	1	MCHD	0			710	53.5
42	5/15/02	Macomb	1	MCHD	No sample				
43	5/15/02	Macomb	1	MCHD	0			564	50
44	5/15/02	Chesterfield	6	MCHD	0			418	58
45	5/15/02	Chesterfield	6	MCHD	0			496	52.8
46	5/15/02	Chesterfield	6	MCHD	No sample				
47	5/15/02	Chesterfield	6	MCHD	24192				
48	5/15/02	Chesterfield	6	MCHD	61	1.5	0.75	1650	51.6
49	5/15/02	Chesterfield	6	MCHD	No Sample				
50	5/15/02	Chesterfield	6	MCHD	24192	1	3	3000	64
51	5/15/02	Chesterfield	6	MCHD	1	0.6	2.5	1429	56
52	5/17/02	Lenox	31	MCHD	No sample				
53	5/17/02	Lenox	31	MCHD	0			972	49.9
54	5/17/02	Lenox	31	MCHD	10			220	53.7
55	5/17/02	Lenox	31	MCHD	No sample				
56	5/17/02	Lenox	31	MCHD	No sample				
57	5/17/02	Lenox	31	MCHD	20			702	54.5
58	5/17/02	Lenox	31	MCHD	No sample				
59	5/17/02	Lenox	31	MCHD	No sample				
60	5/17/02	Lenox	31	MCHD	No sample				
61	5/20/02	Lenox	30	MCHD	1017				
62	5/20/02	Lenox	30	MCHD	121			940	46.6
63	5/20/02	Lenox	29	MCHD	No sample				
64	5/20/02	Lenox	29	MCHD	No sample				
65	5/20/02	Lenox	29	MCHD	No sample				
66	5/20/02	Lenox	29	MCHD	No sample				
67	5/20/02	Lenox	29	MCHD	1			546	47.2
68	5/20/02	Macomb	22	MCHD	No sample				
69	5/20/02	Macomb	22	MCHD	No sample				
70	5/20/02	Macomb	22	MCHD	97			275	55
71	5/20/02	Macomb	22	MCHD	422			968	56
72	5/20/02	Macomb	22	MCHD	No sample				
73	5/20/02	Macomb	22	MCHD	No sample				
74	5/20/02	Macomb	22	MCHD	No sample				
75	5/20/02	Macomb	15	MCHD	No sample				
76	5/20/02	Macomb	15	MCHD	No sample				
77	5/20/02	Macomb	15	MCHD	1				
78	5/20/02	Macomb	15	MCHD	No sample				
79	5/20/02	Macomb	15	MCHD	No sample				
80	5/20/02	Macomb	15	MCHD	0			723	56

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
81	5/20/02	Macomb	15	MCHD	No sample				
82	5/20/02	Macomb	15	MCHD	No sample				
83	5/20/02	Macomb	15	MCHD	No sample				
84	5/20/02	Macomb	15	MCHD	1			1187	50
85	5/20/02	Macomb	15	MCHD	1			1086	51
86	5/20/02	Macomb	15	MCHD	1			609	49
87	5/20/02	Macomb	9	MCHD	1			620	49
88	5/20/02	Macomb	9	MCHD	No sample				
89	5/20/02	Macomb	9	MCHD	No sample				
90	5/20/02	Macomb	9	MCHD	350			642	47
91	5/20/02	Macomb	9	MCHD	No sample				
92	5/20/02	Macomb	9	MCHD	1	0.4		1301	52
93	5/20/02	Macomb	9	MCHD	1			1200	49
94	5/20/02	Macomb	9	MCHD	No sample				
95	5/20/02	Macomb	9	MCHD	No sample				
96	5/20/02	Macomb	9	MCHD	No sample				
97	5/20/02	Macomb	9	MCHD	1071	3	3	591	57
98	5/20/02	Macomb	9	MCHD	1			927	55
99	5/21/02	Macomb	4	MCHD	74			274	53
100	5/21/02	Macomb	4	MCHD	1			550	52
101	5/21/02	Macomb	4	MCHD	41			640	50
102	5/21/02	Macomb	4	MCHD	No sample				
103	5/21/02	Macomb	4	MCHD	No sample				
104	5/21/02	Macomb	4	MCHD	1			855	50
105	5/21/02	Macomb	4	MCHD	1			790	50
106	5/21/02	Ray	33	MCHD	No sample				
107	5/21/02	Ray	33	MCHD	0			725	51
108	5/21/02	Ray	33	MCHD	1			965	50
109	5/21/02	Ray	33	MCHD	1			974	50
110	5/21/02	Ray	33	MCHD	No sample				
111	5/21/02	Ray	33	MCHD	1			1158	64
112	5/21/02	Ray	33	MCHD	No sample				
113	5/21/02	Ray	33	MCHD	No sample				
114	5/21/02	Ray	28	MCHD	1			620	54
115	5/21/02	Ray	28	MCHD	677			820	54
116	5/21/02	Ray	28	MCHD	1			845	53
117	5/21/02	Ray	28	MCHD	No sample				
118	5/21/02	Ray	28	MCHD	No sample				
119	5/21/02	Ray	28	MCHD	No sample				
120	5/21/02	Ray	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
121	5/21/02	Ray	28	MCHD	No sample				
122	5/22/02	Lenox	20	MCHD	No sample				
123	5/22/02	Lenox	20	MCHD	1			645	54
124	5/22/02	Lenox	20	MCHD	No sample				
125	5/22/02	Lenox	20	MCHD	269			1010	55.5
126	5/22/02	Lenox	20	MCHD	1			259	52.4
127	5/22/02	Lenox	20	MCHD	74			655	61.1
128	5/23/02	Macomb	23	MCHD	No sample				
129	5/23/02	Macomb	23	MCHD	86			1550	54
130	5/23/02	Macomb	23	MCHD	20				
131	5/23/02	Macomb	23	MCHD	No sample				
132	5/23/02	Macomb	9	MCHD	No sample				
133	5/23/02	Macomb	9	MCHD	1			815	61
134	5/23/02	Macomb	4	MCHD	No sample				
135	5/23/02	Macomb	4	MCHD	No sample				
136	5/23/02	Macomb	4	MCHD	No sample				
137	5/23/02	Macomb	4	MCHD	No sample				
138	5/23/02	Macomb	4	MCHD	No sample				
139	5/23/02	Macomb	4	MCHD	No sample				
140	5/23/02	Macomb	4	MCHD	31			620	53
141	5/23/02	Macomb	4	MCHD	No sample				
142	5/23/02	Macomb	4	MCHD	No sample				
143	5/23/02	Macomb	4	MCHD	No sample				
144	5/28/02	Ray	35	MCHD	No sample				
145	5/28/02	Ray	35	MCHD	1				
146	5/28/02	Ray	35	MCHD	No sample				
147	5/28/02	Ray	26	MCHD	No sample				
148	5/28/02	Ray	26	MCHD	No sample				
149	5/28/02	Ray	26	MCHD	No sample				
150	5/28/02	Ray	26	MCHD	4611				
151	5/28/02	Ray	26	MCHD	1				
152	5/28/02	Ray	26	MCHD	No sample				
153	5/28/02	Ray	26	MCHD	1				
154	5/28/02	Ray	26	MCHD	31			1460	54
155	5/28/02	Ray	26	MCHD	185			1175	70
156	5/28/02	Ray	26	MCHD	7270		2	1365	69
157	5/29/02	Ray	23	MCHD	No sample				
158	5/29/02	Ray	23	MCHD	No sample				
159	5/29/02	Ray	23	MCHD	24192			3750	62.5
160	5/29/02	Ray	23	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
161	5/29/02	Ray	23	MCHD	No sample				
162	5/29/02	Ray	23	MCHD	No sample				
163	5/29/02	Ray	23	MCHD	No sample				
164	5/29/02	Ray	23	MCHD	1				
165	5/29/02	Ray	23	MCHD	No sample				
166	5/29/02	Ray	23	MCHD	No sample				
167	5/29/02	Ray	23	MCHD	No sample				
168	5/29/02	Ray	23	MCHD	No sample				
169	5/29/02	Ray	23	MCHD	24192				
170	5/31/02	Lenox	17	MCHD	24192			659	74
171	5/31/02	Lenox	17	MCHD	No sample				
172	5/31/02	Lenox	17	MCHD	601			617	8
173	6/10/02	Ray	15	MCHD	No sample				
174	6/10/02	Ray	15	MCHD	No sample				
175	6/10/02	Ray	15	MCHD	No sample				
176	6/10/02	Ray	15	MCHD	No sample				
177	6/10/02	Ray	10	MCHD	No sample				
178	6/12/02	Ray	14	MCHD	24192	0.1	0.25	4000	64
179	6/12/02	Ray	14	MCHD	24192				
180	6/12/02	Ray	11	MCHD	No sample				
181	6/12/02	Ray	11	MCHD	No sample				
182	6/13/02	Ray	25	MCHD	No sample				
183	6/13/02	Lenox	5	MCHD	No sample				
184	6/13/02	Richmond	32	MCHD	No sample				
185	6/13/02	Lenox	5	MCHD	No sample				
186	6/13/02	Lenox	5	MCHD	No sample				
187	6/13/02	Richmond	32	MCHD	24192			1396	64.7
188	6/14/02	Ray	24	MCHD	61			1540	67
189	6/14/02	Ray	24	MCHD	40			920	63.5
190	6/14/02	Ray	24	MCHD	189			1400	63
191	6/14/02	Ray	24	MCHD	No sample				
192	6/17/02	Macomb	23	MCHD	No sample				
193	6/17/02	Macomb	23	MCHD	No sample				
194	6/17/02	Macomb	23	MCHD	No sample				
195	6/17/02	Macomb	5	MCHD	No sample				
196	6/17/02	Macomb	5	MCHD	74			1525	66
197	6/17/02	Macomb	5	MCHD	No sample				
198	6/17/02	Macomb	5	MCHD	No sample				
199	6/17/02	Macomb	5	MCHD	168				
200	6/17/02	Lenox	8	MCHD	10				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
201	6/17/02	Lenox	4	MCHD	No sample				
202	6/17/02	Lenox	9	MCHD	1				
203	6/18/02	Macomb	11	MCHD	No sample				
204	6/18/02	Macomb	11	MCHD	No sample				
205	6/18/02	Macomb	35	MCHD	No sample				
206	6/18/02	Macomb	35	MCHD	727				
207	6/18/02	Macomb	35	MCHD	No sample				
208	6/18/02	Macomb	35	MCHD	No sample				
209	6/18/02	Macomb	35	MCHD	24192				
210	6/18/02	Macomb	35	MCHD	31				
211	6/18/02	Macomb	35	MCHD	No sample				
212	6/18/02	Macomb	35	MCHD	No sample				
213	6/18/02	Macomb	35	MCHD	No sample				
214	6/19/02	Macomb	35	MCHD	24192			1200	67.5
215	6/19/02	Macomb	35	MCHD	441			680	65
216	6/19/02	Macomb	35	MCHD	No sample				
217	6/19/02	Macomb	35	MCHD	No sample				
218	6/19/02	Macomb	35	MCHD	No sample				
219	6/19/02	Macomb	35	MCHD	No sample				
220	6/19/02	Macomb	35	MCHD	No sample				
221	6/19/02	Macomb	25	MCHD	No sample				
222	6/19/02	Macomb	25	MCHD	No sample				
223	6/19/02	Macomb	25	MCHD	No sample				
224	6/19/02	Macomb	10	MCHD	No sample				
225	6/19/02	Macomb	10	MCHD	No sample				
226	6/20/02	Macomb	3	MCHD	No sample				
227	6/20/02	Macomb	3	MCHD	No sample				
228				MCHD	No sample				
229	6/20/02	Macomb	3	MCHD	85			731	60
230	6/20/02	Macomb	3	MCHD	No sample				
231	6/20/02	Macomb	3	MCHD	No sample				
232	6/20/02	Macomb	3	MCHD	1				
233	6/20/02	Macomb	3	MCHD	No sample				
234	6/24/02	Ray	34	MCHD	No sample				
235	6/24/02	Ray	34	MCHD	No sample				
236	6/24/02	Macomb	25	MCHD	No sample				
237	6/24/02	Macomb	25	MCHD	30			643	66
238	6/24/02	Macomb	25	MCHD	No sample				
239	6/24/02	Macomb	25	MCHD	No sample				
240	6/24/02	Macomb	25	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
241	6/24/02	Macomb	25	MCHD	No sample				
242	6/25/02	Macomb	26	MCHD	10			3095	66.6
243	6/25/02	Macomb	26	MCHD	504				
244	6/25/02	Macomb	26	MCHD	No sample				
245	6/25/02	Macomb	26	MCHD	No sample				
246	6/25/02	Macomb	26	MCHD	24192			840	68.7
247	6/25/02	Macomb	26	MCHD	No sample				
248	6/25/02	Macomb	26	MCHD	No sample				
249	6/25/02	Macomb	26	MCHD	836				
250	6/25/02	Macomb	26	MCHD	24192		1		
251	6/25/02	Macomb	26	MCHD	No sample				
252	6/25/02	Macomb	26	MCHD	No sample				
253	6/25/02	Macomb	26	MCHD	No sample				
254	6/25/02	Macomb	26	MCHD	No sample				
255	6/25/02	Macomb	26	MCHD	No sample				
256	6/25/02	Macomb	26	MCHD	No sample				
257	6/25/02	Macomb	26	MCHD	No sample				
258	6/25/02	Macomb	26	MCHD	No sample				
259	6/25/02	Macomb	26	MCHD	No sample				
260	6/25/02	Macomb	26	MCHD	No sample				
261	6/25/02	Macomb	26	MCHD	3873			963	70.8
262	6/25/02	Macomb	26	MCHD	24192	3	0.3	862	69
263	6/25/02	Macomb	23	MCHD	1				
264	6/25/02	Macomb	23	MCHD	20				
265	6/25/02	Macomb	23	MCHD	No sample				
266	6/25/02	Macomb	23	MCHD	No sample				
267	6/26/02	Ray	22	MCHD	No sample				
268	6/26/02	Macomb	24	MCHD	1			1813	66.3
269	6/26/02	Macomb	24	MCHD	No sample				
270	6/26/02	Macomb	24	MCHD	No sample				
271	6/26/02	Macomb	24	MCHD	No sample				
272	6/27/02	Ray	15	MCHD	2419			510	73.4
273	6/27/02	Macomb	25	MCHD	No sample				
274	6/27/02	Macomb	25	MCHD	No sample				
275	6/27/02	Chesterfield	18	MCHD	1				
276	6/27/02	Chesterfield	18	MCHD	2419			735	65.3
277	6/27/02	Chesterfield	18	MCHD	No sample				
278	6/27/02	Chesterfield	18	MCHD	No sample				
279	6/27/02	Chesterfield	18	MCHD	No sample				
280	6/27/02	Chesterfield	18	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
281	6/27/02	Chesterfield	18	MCHD	No sample				
282	6/27/02	Chesterfield	18	MCHD	770			756	73
283	6/27/02	Chesterfield	18	MCHD	No sample				
284	6/27/02	Chesterfield	7	MCHD	No sample				
285	6/27/02	Chesterfield	7	MCHD	No sample				
286	6/27/02	Chesterfield	7	MCHD	9				
287	6/27/02	Chesterfield	7	MCHD	No sample				
288	7/2/02	Ray	13	MCHD	No sample				
289	7/2/02	Lenox	19	MCHD	1			2750	69
290	7/2/02	Lenox	19	MCHD	1			1191	685
291	7/2/02	Lenox	19	MCHD	No sample				
292	7/2/02	Lenox	19	MCHD	No sample				
293	7/2/02	Lenox	19	MCHD	No sample				
294	7/2/02	Armada	35	MCHD	1				
295	7/2/02	Ray	16	MCHD	No sample				
296	7/2/02	Lenox	19	MCHD	24192				
297	7/8/02	Lenox	19	MCHD	No sample				
298	7/8/02	Lenox	19	MCHD	No sample				
299	7/8/02	Lenox	19	MCHD	No sample				
300	7/8/02	Ray	6	MCHD	No sample				
301	7/8/02	Ray	6	MCHD	No sample				
302	7/8/02	Ray	6	MCHD	No sample				
303	7/8/02	Ray	6	MCHD	No sample				
304	7/8/02	Ray	6	MCHD	No sample				
305	7/9/02	Ray	8	MCHD	529			911	76.3
306	7/9/02	Lenox	7	MCHD	No sample				
307	7/10/02	Bruce	31	MCHD	1			1107	66.6
308	7/10/02	Armada	28	MCHD	31			590	76
309	7/10/02	Armada	33	MCHD	1			892	72
310	7/10/02	Armada	33	MCHD	10				
311	7/10/02	Armada	33	MCHD	1664				
312	7/11/02	Ray	20	MCHD	No sample				
313	7/11/02	Ray	20	MCHD	No sample				
314	7/11/02	Richmond	30	MCHD	1				
315	7/11/02	Richmond	19	MCHD	24192				
316	7/11/02	Richmond	19	MCHD	1				
317	7/11/02	Richmond	20	MCHD	No sample				
318	7/11/02	Richmond	20	MCHD	No sample				
319	7/11/02	Richmond	20	MCHD	933				
320	7/15/02	Richmond	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
321	7/15/02	Richmond	28	MCHD	No sample				
322	7/15/02	Richmond	28	MCHD	No sample				
323	7/15/02	Richmond	28	MCHD	No sample				
324	7/15/02	Richmond	28	MCHD	30				66
325	7/15/02	Bruce	25	MCHD	No sample				
326	7/15/02	Bruce	25	MCHD	No sample				
327	7/15/02	Bruce	25	MCHD	No sample				
328	7/15/02	Bruce	25	MCHD	No sample				
329	7/15/02	Bruce	25	MCHD	No sample				
330	7/15/02	Bruce	25	MCHD	No sample				
331	7/16/02	Bruce	35	MCHD	1			656	52.9
332	7/16/02	Bruce	35	MCHD	No sample				
333	7/16/02	Bruce	31	MCHD	No sample				
334	7/16/02	Bruce	31	MCHD	11199			869	69
335	7/16/02	Bruce	31	MCHD	231			1874	70.9
336	7/16/02	Bruce	31	MCHD	1022				
337	7/16/02	Armada	23	MCHD	No sample				
338	7/16/02	Armada	23	MCHD	No sample				
339	7/16/02	Armada	23	MCHD	2909				
340	7/16/02	Armada	23	MCHD	No sample				
341	7/16/02	Armada	23	MCHD	1				
342	7/16/02	Armada	23	MCHD	556				
343	7/16/02	Armada	23	MCHD	No sample				
344	7/16/02	Armada	23	MCHD	No sample				
345	7/16/02	Armada	23	MCHD	85				
346	7/16/02	Armada	23	MCHD	No sample				
347	7/16/02	Armada	23	MCHD	No sample				
348	7/16/02	Armada	23	MCHD	No sample				
349	7/16/02	Armada	23	MCHD	No sample				
350	7/16/02	Armada	23	MCHD	No sample				
351	7/16/02	Armada	23	MCHD	No sample				
352	7/18/02	Armada	19	MCHD	1			536	64.4
353	7/18/02	Armada	19	MCHD	No sample				
354	7/24/02	Lenox	6	MCHD	No sample				
355	7/24/02	Armada	34	MCHD	1			597	73
356	7/25/02	Armada	14	MCHD	No sample				
357	7/25/02	Armada	14	MCHD	No sample				
358	7/25/02	Armada	14	MCHD	No sample				
359	7/25/02	Armada	11	MCHD	No sample				
360	7/25/02	Armada	11	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
361	7/31/02	Bruce	13	MCHD	24192	9	0.5	3999	72.4
362	7/31/02	Bruce	13	MCHD	No sample				
363	7/31/02	Lenox	18	MCHD	No sample				
364	7/31/02	Lenox	18	MCHD	24192				
365	7/31/02	Lenox	18	MCHD	No sample				
366	7/31/02	Lenox	18	MCHD	No sample				
367	8/1/02	Ray	15	MCHD	No sample				
368	8/1/02	Ray	9	MCHD	No sample				
369	8/1/02	Ray	9	MCHD	No sample				
370	8/5/02	Armada	20	MCHD	10				
371	8/6/02	Armada	36	MCHD	0			800	60
372	8/6/02	Armada	36	MCHD	416			655	62
373	8/6/02	Armada	36	MCHD	148			763	60
374	8/6/02	Armada	25	MCHD	0			820	67
375	8/6/02	Armada	26	MCHD	No sample				
376	8/8/02	Lenox	30	MCHD	No sample				
377	8/8/02	Lenox	30	MCHD	373			3999	66
378	8/9/02	Armada	16	MCHD	No sample				
379	8/9/02	Armada	21	MCHD	No sample				
380	8/9/02	Ray	2	MCHD	No sample				
381	8/9/02	Ray	2	MCHD	No sample				
382	8/12/02	Armada	35	MCHD	No sample				
383	8/12/02	Armada	35	MCHD	No sample				
384	8/12/02	Armada	35	MCHD	No sample				
385	8/9/02	Richmond	30	MCHD	No sample				
386	8/9/02	Richmond	30	MCHD	No sample				
387	8/9/02	Richmond	30	MCHD	1			738	66
388	8/9/02	Richmond	30	MCHD	No sample				
389	8/20/02	Armada	30	MCHD	No sample				
390	8/20/02	Armada	30	MCHD	24192				
391	8/21/02	Bruce	1	MCHD	1019			800	59.5
392	8/21/02	Bruce	26	MCHD	No sample				
393	8/21/02	Bruce	26	MCHD	No sample				
394	8/21/02	Bruce	26	MCHD	No sample				
395	8/21/02	Bruce	26	MCHD	137			844	62
396	8/21/02	Bruce	27	MCHD	No sample				
397	8/21/02	Bruce	27	MCHD	No sample				
398	8/21/02	Bruce	27	MCHD	No sample				
399	8/21/02	Bruce	27	MCHD	No sample				
400	8/21/02	Bruce	27	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
401	8/21/02	Bruce	27	MCHD	10				
402	8/21/02	Bruce	27	MCHD	No sample				
403	8/26/02	Armada	7	MCHD	24192				
404	8/26/02	Armada	21	MCHD	No sample				
405	8/28/02	Bruce	22	MCHD	No sample				
406	8/28/02	Bruce	33	MCHD	No sample				
407	8/28/02	Bruce	33	MCHD	No sample				
408	8/28/02	Bruce	33	MCHD	1439			835	59.2
409	8/28/02	Bruce	33	MCHD	1956			687	58.3
410	8/28/02	Bruce	33	MCHD	No sample				
411	8/28/02	Bruce	33	MCHD	74			925	73.3
412	8/28/02	Bruce	33	MCHD	No sample				
413	9/3/02	Ray	27	MCHD	No sample				
414	9/3/02	Ray	27	MCHD	No sample				
415	9/3/02	Ray	27	MCHD	No sample				
416	9/3/02	Ray	28	MCHD	No sample				
417	9/4/02	Ray	20	MCHD	No sample				
418	9/4/02	Ray	20	MCHD	No sample				
419	9/4/02	Ray	29	MCHD	No sample				
420	9/4/02	Ray	29	MCHD	No sample				
421	9/4/02	Ray	29	MCHD	No sample				
422	9/4/02	Ray	29	MCHD	No sample				
423	9/4/02	Ray	29	MCHD	No sample				
424	9/4/02	Ray	29	MCHD	No sample				
425	9/4/02	Ray	21	MCHD	No sample				
426	9/4/02	Ray	21	MCHD	No sample				
427	9/4/02	Ray	21	MCHD	No sample				
428	9/4/02	Ray	21	MCHD	No sample				
429	9/4/02	Ray	21	MCHD	No sample				
430	9/4/02	Ray	21	MCHD	No sample				
431	9/4/02	Ray	21	MCHD	No sample				
432	9/5/02	Bruce	14	MCHD	No sample				
433	9/5/02	Bruce	14	MCHD	No sample				
434	9/5/02	Bruce	14	MCHD	No sample				
435	9/9/02	Bruce	15	MCHD	876				
436	9/9/02	Bruce	15	MCHD	No sample				
437	9/10/02	Bruce	29	MCHD	10			1375	60
438	9/10/02	Bruce	29	MCHD	No sample				
439	9/10/02	Bruce	29	MCHD	No sample				
440	9/10/02	Bruce	29	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
441	9/10/02	Bruce	29	MCHD	No sample				
442	9/10/02	Bruce	29	MCHD	594			689	64
443	9/11/02	Chesterfield	7	MCHD	No sample				
444	9/11/02	Chesterfield	7	MCHD	No sample				
445	9/11/02	Chesterfield	7	MCHD	No sample				
446	9/11/02	Chesterfield	7	MCHD	No sample				
447	9/11/02	Macomb	12	MCHD	No sample				
448	9/11/02	Macomb	12	MCHD	No sample				
449	9/11/02	Macomb	12	MCHD	No sample				
450	9/12/02	Richmond	32	MCHD	No sample				
451	9/4/02	Bruce	32	MCHD	323			634	54
452	9/4/02	Bruce	32	MCHD	233			634	54
453	9/4/02	Bruce	32	MCHD	97			702	62
454	9/4/02	Bruce	32	MCHD	1			765	64.1
455	9/16/02	Armada	6	MCHD	No sample				
456	9/16/02	Armada	6	MCHD	No sample				
457	9/16/02	Armada	6	MCHD	No sample				
458	9/16/02	Armada	6	MCHD	No sample				
459	9/16/02	Armada	6	MCHD	No sample				
460	9/16/02	Armada	6	MCHD	No sample				
461	9/16/02	Armada	6	MCHD	No sample				
462	9/16/02	Armada	6	MCHD	No sample				
463	9/16/02	Armada	7	MCHD	No sample				
464	9/16/02	Armada	7	MCHD	No sample				
465	9/16/02	Armada	7	MCHD	No sample				
466	9/17/02	Ray	25	MCHD	No sample				
467	9/17/02	Ray	25	MCHD	No sample				
468	9/17/02	Ray	25	MCHD	No sample				
469	9/17/02	Ray	25	MCHD	No sample				
470	9/17/02	Ray	25	MCHD	No sample				
471	9/17/02	Ray	25	MCHD	No sample				
472	9/17/02	Ray	25	MCHD	No sample				
473	9/17/02	Ray	36	MCHD	No sample				
474	9/17/02	Ray	36	MCHD	No sample				
475	9/19/02	Ray	7	MCHD	No sample				
476	9/19/02	Ray	17	MCHD	No sample				
477	9/19/02	Ray	17	MCHD	467			670	60
478	9/19/02	Ray	17	MCHD	No sample				
479	10/1/02	Macomb	24	MCHD	No sample				
480	10/1/02	Macomb	24	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
481	10/1/02	Macomb	24	MCHD	No sample				
482	10/1/02	Macomb	24	MCHD	No sample				
483	10/1/02	Macomb	24	MCHD	10			1100	66
484	10/1/02	Macomb	24	MCHD	No sample				
485	10/7/02	Lenox	17	MCHD	No sample				
486	10/7/02	Lenox	17	MCHD	No sample				
487	10/7/02	Lenox	17	MCHD	No sample				
488	10/7/02	Lenox	17	MCHD	No sample				
489	10/7/02	Lenox	16	MCHD	No sample				
490	10/9/02	Ray	22	MCHD	269			1007	53
491	10/17/02	Macomb	12	MCHD	No sample				
492	10/17/02	Macomb	12	MCHD	No sample				
493	10/17/02	Macomb	3	MCHD	No sample				
494	10/17/02	Macomb	3	MCHD	No sample				
495	10/17/02	Macomb	3	MCHD	No sample				
496	10/17/02	Macomb	9	MCHD	No sample				
497	10/18/02	Ray	6	MCHD	No sample				
498	10/18/02	Ray	6	MCHD	No sample				
499	10/18/02	Ray	6	MCHD	No sample				
500	10/18/02	Ray	6	MCHD	No sample				
501	10/18/02	Ray	1	MCHD	No sample				
502	10/18/02	Ray	1	MCHD	No sample				
503	10/21/02	Lenox	29	MCHD	No sample				
504	10/21/02	Macomb	13	MCHD	No sample				
505	10/21/02	Macomb	13	MCHD	No sample				
506	10/21/02	Macomb	13	MCHD	No sample				
507	10/21/02	Macomb	13	MCHD	No sample				
508	10/21/02	Macomb	13	MCHD	No sample				
509	10/21/02	Macomb	13	MCHD	No sample				
510	10/21/02	Macomb	12	MCHD	No sample				
511	10/21/02	Macomb	12	MCHD	No sample				
512	10/21/02	Macomb	12	MCHD	No sample				
513	10/22/02	Macomb	11	MCHD	No sample				
514	10/22/02	Macomb	11	MCHD	No sample				
515	10/22/02	Macomb	2	MCHD	No sample				
516	10/22/02	Macomb	2	MCHD	No sample				
517	10/22/02	Macomb	2	MCHD	No sample				
518	10/22/02	Macomb	2	MCHD	No sample				
519	10/22/02	Macomb	2	MCHD	7701				
520	10/22/02	Macomb	2	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
521	10/22/02	Macomb	2	MCHD	10				
522	10/22/02	Macomb	2	MCHD	10				
523	10/23/02	Ray	33	MCHD	No sample				
524	10/23/02	Ray	33	MCHD	No sample				
525	10/23/02	Ray	32	MCHD	No sample				
526	10/23/02	Ray	32	MCHD	No sample				
527	10/23/02	Ray	32	MCHD	No sample				
528	10/23/02	Ray	15	MCHD	No sample				
529	10/23/02	Ray	16	MCHD	No sample				
530	10/23/02	Ray	16	MCHD	No sample				
531	10/23/02	Ray	21	MCHD	No sample				
532	10/23/02	Ray	21	MCHD	No sample				
533	10/23/02	Ray	21	MCHD	No sample				
534	10/23/02	Ray	21	MCHD	No sample				
535	10/23/02	Ray	21	MCHD	No sample				
536	10/23/02	Ray	21	MCHD	No sample				
537	10/23/02	Ray	16	MCHD	No sample				
538	10/24/02	Lenox	20	MCHD	No sample				
539	10/24/02	Ray	8	MCHD	No Sample				
540	10/24/02	Ray	5	MCHD	No sample				
541	10/24/02	Ray	5	MCHD	No sample				
542	10/24/02	Ray	5	MCHD	No sample				
543	10/24/02	Ray	5	MCHD	No sample				
544	10/24/02	Ray	5	MCHD	No sample				
545	10/24/02	Ray	5	MCHD	No sample				
546	10/24/02	Ray	5	MCHD	No sample				
547	10/24/02	Ray	5	MCHD	No sample				
548	10/24/02	Ray	5	MCHD	No sample				
549	10/24/02	Ray	5	MCHD	No sample				
550	10/24/02	Ray	5	MCHD	No sample				
551	10/25/02	Lenox	6	MCHD	No sample				
552	10/25/02	Lenox	6	MCHD	No sample				
553	10/25/02	Ray	2	MCHD	No sample				
554	10/25/02	Ray	3	MCHD	No sample				
555	10/25/02	Ray	3	MCHD	No sample				
556	10/28/02	Ray	4	MCHD	No sample				
557	10/28/02	Ray	4	MCHD	No sample				
558	10/28/02	Ray	4	MCHD	No sample				
559	10/28/02	Ray	4	MCHD	No sample				
560	10/28/02	Ray	4	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
561	10/28/02	Ray	4	MCHD	No sample				
562	10/28/02	Ray	4	MCHD	No sample				
563	10/28/02	Ray	4	MCHD	No sample				
564	10/28/02	Ray	7	MCHD	No sample				
565	10/28/02	Ray	13	MCHD	No sample				
566	10/28/02	Ray	13	MCHD	No sample				
567	10/28/02	Ray	13	MCHD	No sample				
568	10/28/02	Ray	13	MCHD	No sample				
569	10/28/02	Lenox	12	MCHD	No sample				
570	10/28/02	Armada	13	MCHD	No sample				
571	10/28/02	Armada	10	MCHD	No sample				
572	10/28/02	Armada	10	MCHD	No sample				
573	10/28/02	Armada	10	MCHD	24192				
574	10/28/02	Armada	11	MCHD	No sample				
575	10/29/02	Armada	10	MCHD	336			811	482
576	10/30/02	Armada	8	MCHD	No sample				
577	10/30/02	Armada	18	MCHD	No sample				
578	10/30/02	Armada	18	MCHD	No sample				
579	10/30/02	Armada	17	MCHD	10				
580	10/30/02	Armada	17	MCHD	No sample				
581	10/30/02	Armada	17	MCHD	No sample				
582	10/30/02	Armada	17	MCHD	No sample				
583	10/30/02	Armada	17	MCHD	No sample				
584	10/30/02	Armada	8	MCHD	10			1120	57
585	10/30/02	Armada	8	MCHD	No sample				
586	10/30/02	Armada	8	MCHD	No sample				
587	10/30/02	Armada	8	MCHD	No sample				
588	10/30/02	Armada	8	MCHD	No sample				
589	10/30/02	Armada	8	MCHD	No sample				
590	10/30/02	Armada	8	MCHD	No sample				
591	10/30/02	Armada	8	MCHD	No sample				
592	10/30/02	Armada	8	MCHD	No sample				
593	10/30/02	Armada	8	MCHD	No sample				
594	10/30/02	Armada	5	MCHD	No sample				
595	10/31/02	Armada	15	MCHD	No sample				
596	10/31/02	Armada	15	MCHD	No sample				
597	10/31/02	Armada	15	MCHD	No sample				
598	10/31/02	Armada	15	MCHD	No sample				
599	10/31/02	Armada	15	MCHD	No sample				
600	10/31/02	Armada	15	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
601	10/31/02	Armada	15	MCHD	No sample				
602	11/4/02	Ray	12	MCHD	No sample				
603	11/4/02	Ray	12	MCHD	No sample				
604	11/4/02	Bruce	25	MCHD	No sample				
605	11/4/02	Bruce	25	MCHD	No sample				
606	11/4/02	Bruce	25	MCHD	No sample				
607	11/4/02	Bruce	25	MCHD	No sample				
608	11/4/02	Bruce	25	MCHD	No sample				
609	11/4/02	Bruce	24	MCHD	No sample				
610	11/4/02	Bruce	24	MCHD	No sample				
611	11/4/02	Bruce	24	MCHD	No sample				
612	11/4/02	Bruce	24	MCHD	No sample				
613	11/4/02	Bruce	26	MCHD	No sample				
614	11/4/02	Bruce	26	MCHD	No sample				
615	11/4/02	Bruce	28	MCHD	No sample				
616	11/4/02	Bruce	24	MCHD	No sample				
617	11/4/02	Bruce	24	MCHD	No sample				
618	11/4/02	Bruce	24	MCHD	No sample				
619	11/6/02	Armada	24	MCHD	No sample				
620	11/6/02	Armada	24	MCHD	No sample				
621	11/6/02	Armada	24	MCHD	No sample				
622	11/6/02	Armada	24	MCHD	No sample				
623	11/6/02	Armada	24	MCHD	No sample				
624	11/6/02	Armada	24	MCHD	No sample				
625	11/6/02	Armada	24	MCHD	No sample				
626	11/6/02	Armada	24	MCHD	No sample				
627	11/6/02	Armada	31	MCHD	No sample				
628	11/6/02	Armada	31	MCHD	No sample				
629	11/6/02	Armada	31	MCHD	No sample				
630	11/6/02	Armada	31	MCHD	No sample				
631	11/6/02	Armada	31	MCHD	No sample				
632	11/7/02	Bruce	23	MCHD	No sample				
633	11/7/02	Bruce	14	MCHD	No sample				
634	11/7/02	Bruce	22	MCHD	No sample				
635	11/7/02	Bruce	34	MCHD	2282				
636	11/7/02	Bruce	35	MCHD	10				
637	11/7/02	Bruce	35	MCHD	74				
638	11/12/02	Richmond	19	MCHD	No sample				
639	11/12/02	Richmond	19	MCHD	No sample				
640	11/13/02	Richmond	18	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
641	11/13/02	Richmond	18	MCHD	No sample				
642	11/13/02	Richmond	19	MCHD	No sample				
643	11/13/02	Richmond	19	MCHD	No sample				
644	11/13/02	Richmond	19	MCHD	No sample				
645	11/13/02	Richmond	19	MCHD	No sample				
646	11/13/02	Richmond	19	MCHD	No sample				
647	11/13/02	Richmond	19	MCHD	No sample				
648	11/13/02	Richmond	20	MCHD	657				
649	11/13/02	Richmond	29	MCHD	24192				
650	11/13/02	Richmond	29	MCHD	No sample				
651	11/13/02	Richmond	29	MCHD	No sample				
652	11/13/02	Richmond	20	MCHD	No sample				
653	11/13/02	Richmond	20	MCHD	24192				
654	11/13/02	Richmond	20	MCHD	No sample				
655	11/13/02	Richmond	30	MCHD	41				
656	11/14/02	Richmond	19	MCHD	No sample				
657	11/14/02	Richmond	19	MCHD	No sample				
658	11/14/02	Richmond	19	MCHD	No sample				
659	11/14/02	Richmond	19	MCHD	20				
660	11/14/02	Richmond	19	MCHD	No sample				
661	11/14/02	Richmond	21	MCHD	161				
662	11/14/02	Richmond	21	MCHD	No sample				
663	11/14/02	Richmond	21	MCHD	No sample				
664	11/14/02	Richmond	21	MCHD	No sample				
665	11/14/02	Richmond	21	MCHD	No sample				
666	11/14/02	Richmond	21	MCHD	No sample				
667	11/14/02	Richmond	21	MCHD	No sample				
668	11/14/02	Richmond	21	MCHD	No sample				
669	11/14/02	Richmond	21	MCHD	No sample				
670	11/14/02	Richmond	21	MCHD	No sample				
671	11/14/02	Richmond	20	MCHD	No sample				
672	11/14/02	Richmond	20	MCHD	No sample				
673	11/14/02	Richmond	20	MCHD	No sample				
674	11/14/02	Richmond	17	MCHD	No sample				
675	11/14/02	Richmond	17	MCHD	107		3	1119	48
676	11/14/02	Richmond	28	MCHD	No sample				
677	11/14/02	Richmond	28	MCHD	No sample				
678	11/14/02	Richmond	28	MCHD	No sample				
679	11/14/02	Richmond	28	MCHD	No sample				
680	11/14/02	Richmond	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
681	11/14/02	Richmond	28	MCHD	No sample				
682	11/14/02	Richmond	27	MCHD	No sample				
683	11/14/02	Richmond	27	MCHD	No sample				
684	11/14/02	Richmond	27	MCHD	No sample				
685	11/14/02	Richmond	27	MCHD	No sample				
686	11/14/02	Richmond	27	MCHD	No sample				
687	11/14/02	Richmond	27	MCHD	No sample				
688	11/14/02	Richmond	27	MCHD	No sample				
689	11/14/02	Richmond	28	MCHD	24192				
690	1/2/03	Bruce	8	MCHD	No sample				
691	1/16/03	New Baltimore		MCHD	10				
692	1/16/03	New Baltimore		MCHD	63				
693	1/16/03	New Baltimore		MCHD	10				
694	1/22/03	New Baltimore		MCHD	10				
695	1/23/03	New Baltimore		MCHD	No sample				
696	1/23/03	New Baltimore		MCHD	No sample				
697	1/23/03	New Baltimore		MCHD	No sample				
698	1/23/03	New Baltimore		MCHD	No sample				
699	1/23/03	New Baltimore		MCHD	No sample				
700	1/23/03	New Baltimore		MCHD	No sample				
701	1/23/03	New Baltimore		MCHD	No sample				
702	1/23/03	New Baltimore		MCHD	No sample				
703	1/23/03	New Baltimore		MCHD	No sample				
704	1/23/03	New Baltimore		MCHD	No sample				
705	1/23/03	New Baltimore		MCHD	No sample				
706	1/23/03	New Baltimore		MCHD	No sample				
707	1/23/03	New Baltimore		MCHD	No sample				
708	1/23/03	New Baltimore		MCHD	No sample				
709	1/23/03	New Baltimore		MCHD	No sample				
710	1/23/03	New Baltimore		MCHD	No sample				
711	1/23/03	New Baltimore		MCHD	No sample				
712	1/23/03	New Baltimore		MCHD	No sample				
713	1/23/03	New Baltimore		MCHD	No sample				
714	1/23/03	New Baltimore		MCHD	No sample				
715	1/23/03	New Baltimore		MCHD	No sample				
716	1/23/03	New Baltimore		MCHD	No sample				
717	1/23/03	New Baltimore		MCHD	No sample				
718	1/23/03	New Baltimore		MCHD	No sample				
719	1/23/03	New Baltimore		MCHD	No sample				
720	1/23/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
721	1/23/03	New Baltimore		MCHD	No sample				
722	1/23/03	New Baltimore		MCHD	No sample				
723	1/23/03	New Baltimore		MCHD	No sample				
724	1/23/03	New Baltimore		MCHD	No sample				
725	1/23/03	New Baltimore		MCHD	No sample				
726	1/23/03	New Baltimore		MCHD	No sample				
727	1/23/03	New Baltimore		MCHD	No sample				
728	1/23/03	New Baltimore		MCHD	No sample				
729	1/23/03	New Baltimore		MCHD	No sample				
730	1/23/03	New Baltimore		MCHD	No sample				
731	1/23/03	New Baltimore		MCHD	No sample				
732	1/23/03	New Baltimore		MCHD	No sample				
733	1/23/03	New Baltimore		MCHD	No sample				
734	1/23/03	New Baltimore		MCHD	No sample				
735	1/23/03	New Baltimore		MCHD	No sample				
736	1/23/03	New Baltimore		MCHD	No sample				
737	1/23/03	New Baltimore		MCHD	No sample				
738	1/23/03	New Baltimore		MCHD	No sample				
739	1/23/03	New Baltimore		MCHD	No sample				
740	1/23/03	New Baltimore		MCHD	No sample				
741	1/23/03	New Baltimore		MCHD	No sample				
742	1/23/03	New Baltimore		MCHD	No sample				
743	1/23/03	New Baltimore		MCHD	No sample				
744	1/23/03	New Baltimore		MCHD	No sample				
745	1/23/03	New Baltimore		MCHD	No sample				
746	1/23/03	New Baltimore		MCHD	No sample				
747	1/23/03	New Baltimore		MCHD	No sample				
748	1/23/03	New Baltimore		MCHD	No sample				
749	1/23/03	New Baltimore		MCHD	No sample				
750	1/23/03	New Baltimore		MCHD	No sample				
751	1/23/03	New Baltimore		MCHD	No sample				
752	1/23/03	New Baltimore		MCHD	No sample				
753	1/23/03	New Baltimore		MCHD	No sample				
754	1/23/03	New Baltimore		MCHD	No sample				
755	1/23/03	New Baltimore		MCHD	No sample				
756	1/23/03	New Baltimore		MCHD	No sample				
757	1/23/03	New Baltimore		MCHD	No sample				
758	1/23/03	New Baltimore		MCHD	No sample				
759	1/23/03	New Baltimore		MCHD	No sample				
760	1/23/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
761	1/23/03	New Baltimore		MCHD	No sample				
762	1/23/03	New Baltimore		MCHD	No sample				
763	1/23/03	New Baltimore		MCHD	No sample				
764	1/23/03	New Baltimore		MCHD	No sample				
765	1/23/03	New Baltimore		MCHD	No sample				
766	1/23/03	New Baltimore		MCHD	No sample				
767	1/23/03	New Baltimore		MCHD	No sample				
768	1/23/03	New Baltimore		MCHD	No sample				
769	1/23/03	New Baltimore		MCHD	No sample				
770	1/23/03	New Baltimore		MCHD	No sample				
771	1/23/03	New Baltimore		MCHD	No sample				
772	1/23/03	New Baltimore		MCHD	No sample				
773	1/23/03	New Baltimore		MCHD	No sample				
774	1/23/03	New Baltimore		MCHD	No sample				
775	1/23/03	New Baltimore		MCHD	No sample				
776	1/23/03	New Baltimore		MCHD	No sample				
777	1/23/03	New Baltimore		MCHD	No sample				
778	1/23/03	New Baltimore		MCHD	No sample				
779	1/23/03	New Baltimore		MCHD	No sample				
780	1/23/03	New Baltimore		MCHD	No sample				
781	1/23/03	New Baltimore		MCHD	No sample				
782	1/23/03	New Baltimore		MCHD	No sample				
783	1/23/03	New Baltimore		MCHD	No sample				
784	1/23/03	New Baltimore		MCHD	No sample				
785	1/23/03	New Baltimore		MCHD	No sample				
786	1/23/03	New Baltimore		MCHD	No sample				
787	1/23/03	New Baltimore		MCHD	No sample				
788	1/23/03	New Baltimore		MCHD	No sample				
789	1/23/03	New Baltimore		MCHD	No sample				
790	1/23/03	New Baltimore		MCHD	No sample				
791	1/23/03	New Baltimore		MCHD	No sample				
792	1/23/03	New Baltimore		MCHD	No sample				
793	1/23/03	New Baltimore		MCHD	No sample				
794	1/23/03	New Baltimore		MCHD	No sample				
795	1/23/03	New Baltimore		MCHD	No sample				
796	1/23/03	New Baltimore		MCHD	No sample				
797	1/23/03	New Baltimore		MCHD	No sample				
798	1/23/03	New Baltimore		MCHD	No sample				
799	1/23/03	New Baltimore		MCHD	No sample				
800	1/23/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
801	1/23/03	New Baltimore		MCHD	No sample				
802	1/24/03	New Baltimore		MCHD	No sample				
803	1/24/03	New Baltimore		MCHD	No sample				
804	1/24/03	New Baltimore		MCHD	No sample				
805	1/24/03	New Baltimore		MCHD	No sample				
806	1/24/03	New Baltimore		MCHD	No sample				
807	1/24/03	New Baltimore		MCHD	No sample				
808	1/24/03	New Baltimore		MCHD	No sample				
809	1/24/03	New Baltimore		MCHD	No sample				
810	1/24/03	New Baltimore		MCHD	No sample				
811	1/24/03	New Baltimore		MCHD	No sample				
812	1/24/03	New Baltimore		MCHD	No sample				
813	1/24/03	New Baltimore		MCHD	No sample				
814	1/24/03	New Baltimore		MCHD	No sample				
815	1/24/03	New Baltimore		MCHD	No sample				
816	1/24/03	New Baltimore		MCHD	No sample				
817	1/24/03	New Baltimore		MCHD	No sample				
818	1/24/03	New Baltimore		MCHD	No sample				
819	1/24/03	New Baltimore		MCHD	No sample				
820	1/24/03	New Baltimore		MCHD	No sample				
821	1/24/03	New Baltimore		MCHD	No sample				
822	1/24/03	New Baltimore		MCHD	No sample				
823	1/24/03	New Baltimore		MCHD	No sample				
824	1/24/03	New Baltimore		MCHD	No sample				
825	1/24/03	New Baltimore		MCHD	No sample				
826	1/24/03	New Baltimore		MCHD	No sample				
827	1/24/03	New Baltimore		MCHD	No sample				
828	1/24/03	New Baltimore		MCHD	No sample				
829	1/24/03	New Baltimore		MCHD	No sample				
830	1/24/03	New Baltimore		MCHD	No sample				
831	1/24/03	New Baltimore		MCHD	No sample				
832	1/24/03	New Baltimore		MCHD	No sample				
833	1/24/03	New Baltimore		MCHD	No sample				
834	1/24/03	New Baltimore		MCHD	No sample				
835	1/24/03	New Baltimore		MCHD	No sample				
836	1/24/03	New Baltimore		MCHD	No sample				
837	1/24/03	New Baltimore		MCHD	No sample				
838	1/24/03	New Baltimore		MCHD	No sample				
839	1/24/03	New Baltimore		MCHD	No sample				
840	1/24/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
841	1/24/03	New Baltimore		MCHD	No sample				
842	1/24/03	New Baltimore		MCHD	No sample				
843	1/24/03	New Baltimore		MCHD	No sample				
844	1/24/03	New Baltimore		MCHD	No sample				
845	1/24/03	New Baltimore		MCHD	No sample				
846	1/24/03	New Baltimore		MCHD	No sample				
847	1/24/03	New Baltimore		MCHD	No sample				
848	1/24/03	New Baltimore		MCHD	No sample				
849	1/24/03	New Baltimore		MCHD	No sample				
850	1/24/03	New Baltimore		MCHD	No sample				
851	1/24/03	New Baltimore		MCHD	No sample				
852	1/24/03	New Baltimore		MCHD	No sample				
853	1/24/03	New Baltimore		MCHD	No sample				
854	1/24/03	New Baltimore		MCHD	No sample				
855	1/24/03	New Baltimore		MCHD	No sample				
856	1/24/03	New Baltimore		MCHD	No sample				
857	1/24/03	New Baltimore		MCHD	No sample				
858	1/24/03	New Baltimore		MCHD	No sample				
859	1/24/03	New Baltimore		MCHD	No sample				
860	1/24/03	New Baltimore		MCHD	No sample				
861	1/24/03	New Baltimore		MCHD	No sample				
862	1/24/03	New Baltimore		MCHD	No sample				
863	1/24/03	New Baltimore		MCHD	No sample				
864	1/24/03	New Baltimore		MCHD	No sample				
865	1/24/03	New Baltimore		MCHD	No sample				
866	1/24/03	New Baltimore		MCHD	No sample				
867	1/24/03	New Baltimore		MCHD	No sample				
868	1/24/03	New Baltimore		MCHD	No sample				
869	1/24/03	New Baltimore		MCHD	No sample				
870	1/24/03	New Baltimore		MCHD	No sample				
871	1/24/03	New Baltimore		MCHD	No sample				
872	1/24/03	New Baltimore		MCHD	No sample				
873	1/24/03	New Baltimore		MCHD	No sample				
874	1/24/03	New Baltimore		MCHD	No sample				
875	1/24/03	New Baltimore		MCHD	No sample				
876	1/24/03	New Baltimore		MCHD	No sample				
877	1/24/03	New Baltimore		MCHD	No sample				
878	1/24/03	New Baltimore		MCHD	No sample				
879	1/24/03	New Baltimore		MCHD	No sample				
880	1/24/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
881	1/24/03	New Baltimore		MCHD	No sample				
882	1/24/03	New Baltimore		MCHD	No sample				
883	1/24/03	New Baltimore		MCHD	No sample				
884	1/24/03	New Baltimore		MCHD	No sample				
885	1/24/03	New Baltimore		MCHD	No sample				
886	1/24/03	New Baltimore		MCHD	No sample				
887	1/24/03	New Baltimore		MCHD	No sample				
888	1/24/03	New Baltimore		MCHD	No sample				
889	1/24/03	New Baltimore		MCHD	No sample				
890	1/24/03	New Baltimore		MCHD	No sample				
891	1/24/03	New Baltimore		MCHD	No sample				
892	1/24/03	New Baltimore		MCHD	No sample				
893	1/24/03	New Baltimore		MCHD	No sample				
894	1/24/03	New Baltimore		MCHD	No sample				
895	1/24/03	New Baltimore		MCHD	No sample				
896	1/24/03	New Baltimore		MCHD	No sample				
897	1/24/03	New Baltimore		MCHD	No sample				
898	1/24/03	New Baltimore		MCHD	No sample				
899	1/24/03	New Baltimore		MCHD	No sample				
900	1/24/03	New Baltimore		MCHD	No sample				
901	1/24/03	New Baltimore		MCHD	No sample				
902	1/24/03	New Baltimore		MCHD	No sample				
903	1/24/03	New Baltimore		MCHD	No sample				
904	1/24/03	New Baltimore		MCHD	No sample				
905	1/24/03	New Baltimore		MCHD	No sample				
906	1/24/03	New Baltimore		MCHD	No sample				
907	1/24/03	New Baltimore		MCHD	No sample				
908	1/24/03	New Baltimore		MCHD	No sample				
909	1/24/03	New Baltimore		MCHD	No sample				
910	1/24/03	New Baltimore		MCHD	No sample				
911	1/24/03	New Baltimore		MCHD	No sample				
912	1/24/03	New Baltimore		MCHD	No sample				
913	1/24/03	New Baltimore		MCHD	No sample				
914	2/4/03	New Baltimore		MCHD	No sample				
915	2/4/03	New Baltimore		MCHD	24192			810	33
916	2/4/03	New Baltimore		MCHD	No sample				
917	2/4/03	New Baltimore		MCHD	No sample				
918	2/4/03	New Baltimore		MCHD	No sample				
919	2/4/03	New Baltimore		MCHD	96				
920	2/4/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
921	2/4/03	New Baltimore		MCHD	350			399	38
922	2/4/03	New Baltimore		MCHD	No sample				
923	2/4/03	New Baltimore		MCHD	No sample				
924	2/4/03	New Baltimore		MCHD	No sample				
925	2/4/03	New Baltimore		MCHD	No sample				
926	2/4/03	New Baltimore		MCHD	No sample				
927	2/4/03	New Baltimore		MCHD	No sample				
928	2/4/03	New Baltimore		MCHD	No sample				
929	2/4/03	New Baltimore		MCHD	No sample				
930	2/11/03	Lenox	27	MCHD	No sample				
931	2/11/03	Lenox	27	MCHD	No sample				
932	2/11/03	Lenox	27	MCHD	No sample				
933	2/11/03	Lenox	27	MCHD	No sample				
934	2/11/03	Lenox	22	MCHD	No sample				
935	2/11/03	Lenox	23	MCHD	No sample				
936	2/11/03	Lenox	23	MCHD	No sample				
937	2/11/03	Lenox	23	MCHD	No sample				
938	2/11/03	Lenox	23	MCHD	No sample				
939	2/11/03	Lenox	23	MCHD	No sample				
940	2/11/03	Lenox	23	MCHD	No sample				
941	2/12/03	New Baltimore		MCHD	50				
942	2/12/03	New Baltimore		MCHD	No sample				
943	2/12/03	New Baltimore		MCHD	No sample				
944	2/12/03	New Baltimore		MCHD	10				
945	2/12/03	New Baltimore		MCHD	No sample				
946	2/12/03	New Baltimore		MCHD	No sample				
947	2/12/03	New Baltimore		MCHD	10				
948	2/12/03	New Baltimore		MCHD	No sample				
949	2/12/03	New Baltimore		MCHD	No sample				
950	2/12/03	New Baltimore		MCHD	No sample				
951	2/12/03	New Baltimore		MCHD	No sample				
952	2/12/03	New Baltimore		MCHD	No sample				
953	2/12/03	New Baltimore		MCHD	No sample				
954	2/12/03	New Baltimore		MCHD	No sample				
955	2/12/03	New Baltimore		MCHD	No sample				
956	2/12/03	New Baltimore		MCHD	No sample				
957	2/12/03	New Baltimore		MCHD	No sample				
958	2/12/03	New Baltimore		MCHD	No sample				
959	2/12/03	New Baltimore		MCHD	No sample				
960	2/12/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
961	2/12/03	New Baltimore		MCHD	No sample				
962	2/12/03	New Baltimore		MCHD	No sample				
963	2/12/03	New Baltimore		MCHD	882				
964	2/11/03	Chesterfield	14	MCHD	No sample				
965	2/11/03	Chesterfield	14	MCHD	479				
966	2/11/03	Chesterfield	14	MCHD	No sample				
967	2/11/03	Chesterfield	14	MCHD	No sample				
968	2/11/03	Chesterfield	14	MCHD	No sample				
969	2/11/03	Chesterfield	14	MCHD	10				
970	2/12/03	Chesterfield	14	MCHD	No sample				
971	2/12/03	Chesterfield	14	MCHD	No sample				
972	2/12/03	Chesterfield	14	MCHD	No sample				
973	2/12/03	Chesterfield	14	MCHD	No sample				
974	2/12/03	Chesterfield	14	MCHD	No sample				
975	2/12/03	Chesterfield	14	MCHD	No sample				
976	2/12/03	Chesterfield	14	MCHD	10				
977	2/12/03	Chesterfield	11	MCHD	132				
978	2/12/03	Chesterfield	11	MCHD	No sample				
979	2/12/03	Chesterfield	11	MCHD	No sample				
980	2/12/03	Chesterfield	11	MCHD	No sample				
981	2/12/03	Chesterfield	11	MCHD	No sample				
982	2/12/03	Chesterfield	11	MCHD	No sample				
983	2/13/03	New Baltimore		MCHD	No sample				
984	2/13/03	New Baltimore		MCHD	No sample				
985	2/13/03	New Baltimore		MCHD	547				
986	2/14/03	New Baltimore		MCHD	No sample				
987	2/14/03	New Baltimore		MCHD	No sample				
988	2/14/03	New Baltimore		MCHD	No sample				
989	2/14/03	New Baltimore		MCHD	No sample				
990	2/14/03	New Baltimore		MCHD	No sample				
991	2/14/03	New Baltimore		MCHD	No sample				
992	2/14/03	New Baltimore		MCHD	No sample				
993	2/14/03	New Baltimore		MCHD	No sample				
994	2/14/03	New Baltimore		MCHD	No sample				
995	2/14/03	New Baltimore		MCHD	No sample				
996	2/14/03	New Baltimore		MCHD	No sample				
997	2/14/03	New Baltimore		MCHD	No sample				
998	2/14/03	New Baltimore		MCHD	No sample				
999	2/14/03	New Baltimore		MCHD	No sample				
1000	2/14/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1001	2/14/03	New Baltimore		MCHD	No sample				
1002	2/14/03	New Baltimore		MCHD	No sample				
1003	2/14/03	New Baltimore		MCHD	No sample				
1004	2/14/03	New Baltimore		MCHD	No sample				
1005	2/14/03	New Baltimore		MCHD	No sample				
1006	2/14/03	New Baltimore		MCHD	No sample				
1007	2/14/03	New Baltimore		MCHD	No sample				
1008	2/14/03	New Baltimore		MCHD	No sample				
1009	2/14/03	New Baltimore		MCHD	No sample				
1010	2/20/03	Chesterfield	1	MCHD	10			3387	46
1011	2/20/03	Chesterfield	1	MCHD	10			1500	44
1012	2/20/03	Chesterfield	1	MCHD	10			3999	36
1013	2/21/03	Chesterfield	1	MCHD	No sample				
1014	2/20/03	New Baltimore		MCHD	No sample				
1015	2/20/03	New Baltimore		MCHD	No sample				
1016	2/20/03	New Baltimore		MCHD	No sample				
1017	2/20/03	New Baltimore		MCHD	No sample				
1018	2/20/03	New Baltimore		MCHD	No sample				
1019	2/20/03	New Baltimore		MCHD	No sample				
1020	2/20/03	New Baltimore		MCHD	No sample				
1021	2/24/03	Armada	9	MCHD	No sample				
1022	2/24/03	Armada	9	MCHD	No sample				
1023	2/24/03	Lenox	34	MCHD	No sample				
1024	2/26/03	New Baltimore		MCHD	No sample				
1025	2/26/03	New Baltimore		MCHD	10				
1026	2/26/03	New Baltimore		MCHD	No sample				
1027	2/26/03	New Baltimore		MCHD	No sample				
1028	2/26/03	New Baltimore		MCHD	No sample				
1029	2/26/03	New Baltimore		MCHD	No sample				
1030	2/26/03	New Baltimore		MCHD	No sample				
1031	2/26/03	New Baltimore		MCHD	No sample				
1032	2/26/03	New Baltimore		MCHD	No sample				
1033	2/26/03	New Baltimore		MCHD	No sample				
1034	2/26/03	New Baltimore		MCHD	No sample				
1035	2/26/03	New Baltimore		MCHD	No sample				
1036	2/26/03	New Baltimore		MCHD	No sample				
1037	2/26/03	New Baltimore		MCHD	No sample				
1038	2/26/03	New Baltimore		MCHD	No sample				
1039	2/26/03	New Baltimore		MCHD	No sample				
1040	2/26/03	New Baltimore		MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1041	2/26/03	New Baltimore		MCHD	No sample				
1042	2/26/03	New Baltimore		MCHD	No sample				
1043	2/26/03	New Baltimore		MCHD	No sample				
1044	2/26/03	New Baltimore		MCHD	No sample				
1045	2/26/03	New Baltimore		MCHD	No sample				
1046	2/26/03	New Baltimore		MCHD	No sample				
1047	2/26/03	New Baltimore		MCHD	No sample				
1048	2/26/03	New Baltimore		MCHD	No sample				
1049	2/26/03	New Baltimore		MCHD	No sample				
1050	2/26/03	New Baltimore		MCHD	No sample				
1051	2/26/03	New Baltimore		MCHD	No sample				
1052	2/26/03	New Baltimore		MCHD	No sample				
1053	2/27/03	Lenox	14	MCHD	No sample				
1054	2/27/03	Lenox	15	MCHD	No sample				
1055	2/27/03	Lenox	10	MCHD	No sample				
1056	2/27/03	Lenox	10	MCHD	No sample				
1057	2/27/03	Lenox	10	MCHD	No sample				
1058	2/27/03	Lenox	10	MCHD	No sample				
1059	3/10/03	Lenox	14	MCHD	No sample				
1060	3/10/03	Lenox	14	MCHD	No sample				
1061	3/10/03	Lenox	14	MCHD	No sample				
1062	3/10/03	Lenox	14	MCHD	No sample				
1063	3/10/03	Lenox	14	MCHD	No sample				
1064	3/10/03	Lenox	14	MCHD	No sample				
1065	3/10/03	Chesterfield	33	MCHD	No sample				
1066	3/10/03	Chesterfield	33	MCHD	No sample				
1067	3/10/03	Chesterfield	33	MCHD	No sample				
1068	3/10/03	Chesterfield	33	MCHD	No sample				
1069	3/10/03	Chesterfield	33	MCHD	No sample				
1070	3/10/03	Chesterfield	33	MCHD	No sample				
1071	3/10/03	Chesterfield	33	MCHD	No sample				
1072	3/10/03	Chesterfield	33	MCHD	No sample				
1073	3/10/03	Chesterfield	33	MCHD	No sample				
1074	3/10/03	Chesterfield	33	MCHD	No sample				
1075	3/10/03	Chesterfield	33	MCHD	No sample				
1076	3/10/03	Chesterfield	33	MCHD	No sample				
1077	3/10/03	Chesterfield	28	MCHD	No sample				
1078	3/10/03	Chesterfield	28	MCHD	No sample				
1079	3/10/03	Chesterfield	28	MCHD	No sample				
1080	3/10/03	Chesterfield	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1081	3/10/03	Chesterfield	28	MCHD	No sample				
1082	3/10/03	Chesterfield	28	MCHD	No sample				
1083	3/10/03	Chesterfield	28	MCHD	No sample				
1084	3/10/03	Chesterfield	28	MCHD	No sample				
1085	3/10/03	Chesterfield	28	MCHD	No sample				
1086	3/10/03	Chesterfield	28	MCHD	No sample				
1087	3/10/03	Chesterfield	28	MCHD	No sample				
1088	3/10/03	Chesterfield	28	MCHD	No sample				
1089	3/10/03	Chesterfield	28	MCHD	No sample				
1090	3/10/03	Chesterfield	28	MCHD	No sample				
1091	3/10/03	Chesterfield	29	MCHD	No sample				
1092	3/10/03	Chesterfield	29	MCHD	No sample				
1093	3/10/03	Chesterfield	29	MCHD	No sample				
1094	3/10/03	Chesterfield	29	MCHD	No sample				
1095	3/10/03	Chesterfield	29	MCHD	No sample				
1096	3/10/03	Chesterfield	29	MCHD	No sample				
1097	3/10/03	Chesterfield	29	MCHD	No sample				
1098	3/10/03	Chesterfield	29	MCHD	No sample				
1099	3/10/03	Chesterfield	29	MCHD	No sample				
1100	3/10/03	Chesterfield	29	MCHD	No sample				
1101	3/10/03	Chesterfield	29	MCHD	No sample				
1102	3/11/03	Chesterfield	28	MCHD	No sample				
1103	3/11/03	Chesterfield	28	MCHD	No sample				
1104	3/11/03	Chesterfield	28	MCHD	No sample				
1105	3/11/03	Chesterfield	28	MCHD	No sample				
1106	3/11/03	Chesterfield	28	MCHD	No sample				
1107	3/11/03	Chesterfield	28	MCHD	No sample				
1108	3/11/03	Chesterfield	28	MCHD	No sample				
1109	3/11/03	Chesterfield	28	MCHD	No sample				
1110	3/11/03	Chesterfield	28	MCHD	No sample				
1111	3/11/03	Chesterfield	28	MCHD	No sample				
1112	3/11/03	Chesterfield	28	MCHD	No sample				
1113	3/11/03	Chesterfield	28	MCHD	No sample				
1114	3/11/03	Chesterfield	28	MCHD	No sample				
1115	3/11/03	Chesterfield	28	MCHD	No sample				
1116	3/11/03	Chesterfield	28	MCHD	No sample				
1117	3/11/03	Chesterfield	28	MCHD	No sample				
1118	3/11/03	Chesterfield	28	MCHD	No sample				
1119	3/11/03	Chesterfield	28	MCHD	No sample				
1120	3/11/03	Chesterfield	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1121	3/11/03	Chesterfield	28	MCHD	No sample				
1122	3/11/03	Chesterfield	28	MCHD	No sample				
1123	3/11/03	Chesterfield	28	MCHD	No sample				
1124	3/11/03	Chesterfield	28	MCHD	No sample				
1125	3/11/03	Chesterfield	28	MCHD	No sample				
1126	3/11/03	Chesterfield	28	MCHD	No sample				
1127	3/11/03	Chesterfield	28	MCHD	No sample				
1128	3/11/03	Chesterfield	28	MCHD	No sample				
1129	3/11/03	Chesterfield	28	MCHD	No sample				
1130	3/11/03	Chesterfield	28	MCHD	No sample				
1131	3/11/03	Chesterfield	28	MCHD	No sample				
1132	3/11/03	Chesterfield	28	MCHD	No sample				
1133	3/11/03	Chesterfield	28	MCHD	No sample				
1134	3/11/03	Chesterfield	28	MCHD	10				
1135	3/11/03	Chesterfield	28	MCHD	No sample				
1136	3/11/03	Chesterfield	28	MCHD	No sample				
1137	3/11/03	Chesterfield	28	MCHD	No sample				
1138	3/11/03	Chesterfield	28	MCHD	No sample				
1139	3/11/03	Chesterfield	28	MCHD	No sample				
1140	3/11/03	Chesterfield	28	MCHD	No sample				
1141	3/11/03	Chesterfield	28	MCHD	No sample				
1142	3/11/03	Chesterfield	28	MCHD	No sample				
1143	3/11/03	Chesterfield	28	MCHD	No sample				
1144	3/11/03	Chesterfield	28	MCHD	No sample				
1145	3/11/03	Chesterfield	28	MCHD	No sample				
1146	3/11/03	Chesterfield	28	MCHD	No sample				
1147	3/11/03	Chesterfield	28	MCHD	No sample				
1148	3/11/03	Chesterfield	28	MCHD	No sample				
1149	3/11/03	Chesterfield	28	MCHD	No sample				
1150	3/11/03	Chesterfield	28	MCHD	No sample				
1151	3/11/03	Chesterfield	28	MCHD	No sample				
1152	3/11/03	Chesterfield	28	MCHD	No sample				
1153	3/11/03	Chesterfield	28	MCHD	No sample				
1154	3/11/03	Chesterfield	28	MCHD	No sample				
1155	3/11/03	Chesterfield	28	MCHD	No sample				
1156	3/11/03	Chesterfield	28	MCHD	No sample				
1157	3/11/03	Chesterfield	28	MCHD	No sample				
1158	3/11/03	Chesterfield	28	MCHD	No sample				
1159	3/11/03	Chesterfield	28	MCHD	No sample				
1160	3/11/03	Chesterfield	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1161	3/11/03	Chesterfield	28	MCHD	No sample				
1162	3/11/03	Chesterfield	28	MCHD	No sample				
1163	3/11/03	Chesterfield	28	MCHD	No sample				
1164	3/11/03	Chesterfield	28	MCHD	No sample				
1165	3/11/03	Chesterfield	28	MCHD	No sample				
1166	3/11/03	Chesterfield	28	MCHD	No sample				
1167	3/11/03	Chesterfield	28	MCHD	10				
1168	3/11/03	Chesterfield	28	MCHD	No sample				
1169	3/11/03	Chesterfield	28	MCHD	No sample				
1170	3/11/03	Chesterfield	28	MCHD	No sample				
1171	3/11/03	Chesterfield	28	MCHD	No sample				
1172	3/11/03	Chesterfield	28	MCHD	No sample				
1173	3/11/03	Chesterfield	28	MCHD	No sample				
1174	3/11/03	Chesterfield	28	MCHD	No sample				
1175	3/11/03	Chesterfield	28	MCHD	No sample				
1176	3/11/03	Chesterfield	28	MCHD	No sample				
1177	3/11/03	Chesterfield	28	MCHD	No sample				
1178	3/11/03	Chesterfield	28	MCHD	No sample				
1179	3/11/03	Chesterfield	28	MCHD	No sample				
1180	3/11/03	Chesterfield	28	MCHD	No sample				
1181	3/11/03	Chesterfield	28	MCHD	No sample				
1182	3/11/03	Chesterfield	28	MCHD	No sample				
1183	3/11/03	Chesterfield	28	MCHD	No sample				
1184	3/11/03	Chesterfield	28	MCHD	No sample				
1185	3/11/03	Chesterfield	28	MCHD	No sample				
1186	3/11/03	Chesterfield	28	MCHD	No sample				
1187	3/11/03	Chesterfield	28	MCHD	No sample				
1188	3/11/03	Chesterfield	28	MCHD	No sample				
1189	3/11/03	Chesterfield	28	MCHD	No sample				
1190	3/11/03	Chesterfield	28	MCHD	No sample				
1191	3/11/03	Chesterfield	28	MCHD	No sample				
1192	3/11/03	Chesterfield	28	MCHD	No sample				
1193	3/11/03	Chesterfield	28	MCHD	No sample				
1194	3/11/03	Chesterfield	28	MCHD	No sample				
1195	3/11/03	Chesterfield	28	MCHD	No sample				
1196	3/11/03	Chesterfield	28	MCHD	No sample				
1197	3/11/03	Chesterfield	28	MCHD	No sample				
1198	3/11/03	Chesterfield	28	MCHD	No sample				
1199	3/11/03	Chesterfield	28	MCHD	No sample				
1200	3/11/03	Chesterfield	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1201	3/11/03	Chesterfield	28	MCHD	No sample				
1202	3/11/03	Chesterfield	28	MCHD	No sample				
1203	3/11/03	Chesterfield	28	MCHD	No sample				
1204	3/11/03	Chesterfield	28	MCHD	No sample				
1205	3/11/03	Chesterfield	28	MCHD	No sample				
1206	3/11/03	Chesterfield	28	MCHD	No sample				
1207	3/11/03	Chesterfield	28	MCHD	No sample				
1208	3/11/03	Chesterfield	28	MCHD	No sample				
1209	3/11/03	Chesterfield	28	MCHD	No sample				
1210	3/11/03	Chesterfield	28	MCHD	No sample				
1211	3/11/03	Chesterfield	28	MCHD	No sample				
1212	3/11/03	Chesterfield	28	MCHD	No sample				
1213	3/11/03	Chesterfield	28	MCHD	No sample				
1214	3/11/03	Lenox	28	MCHD	No sample				
1215	3/11/03	Lenox	28	MCHD	No sample				
1216	3/11/03	Lenox	28	MCHD	No sample				
1217	3/11/03	Lenox	28	MCHD	No sample				
1218	3/12/03	Chesterfield	22	MCHD	No sample				
1219	3/12/03	Chesterfield	22	MCHD	No sample				
1220	3/12/03	Chesterfield	22	MCHD	No sample				
1221	3/12/03	Chesterfield	22	MCHD	No sample				
1222	3/12/03	Chesterfield	22	MCHD	No sample				
1223	3/12/03	Chesterfield	22	MCHD	No sample				
1224	3/12/03	Chesterfield	22	MCHD	No sample				
1225	3/12/03	Chesterfield	22	MCHD	No sample				
1226	3/12/03	Chesterfield	22	MCHD	No sample				
1227	3/12/03	Chesterfield	22	MCHD	No sample				
1228	3/12/03	Chesterfield	22	MCHD	No sample				
1229	3/12/03	Chesterfield	22	MCHD	No sample				
1230	3/12/03	Chesterfield	22	MCHD	No sample				
1231	3/12/03	Chesterfield	22	MCHD	No sample				
1232	3/12/03	Chesterfield	22	MCHD	No sample				
1233	3/12/03	Chesterfield	22	MCHD	No sample				
1234	3/12/03	Chesterfield	22	MCHD	No sample				
1235	3/12/03	Chesterfield	22	MCHD	No sample				
1236	3/13/03	Chesterfield	22	MCHD	No sample				
1237	3/13/03	Chesterfield	22	MCHD	No sample				
1238	3/13/03	Chesterfield	22	MCHD	No sample				
1239	3/13/03	Chesterfield	22	MCHD	No sample				
1240	3/13/03	Chesterfield	22	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1241	3/13/03	Chesterfield	22	MCHD	No sample				
1242	3/13/03	Chesterfield	22	MCHD	10				
1243	3/13/03	Chesterfield	22	MCHD	No sample				
1244	3/13/03	Chesterfield	22	MCHD	No sample				
1245	3/13/03	Chesterfield	22	MCHD	No sample				
1246	3/13/03	Chesterfield	22	MCHD	No sample				
1247	3/13/03	Chesterfield	22	MCHD	52				
1248	3/24/03	Lenox	2	SEMHA	No sample				
1249	3/24/03	Lenox	3	SEMHA	No sample				
1250	3/24/03	Lenox	3	SEMHA	No sample				
1251	3/24/03	Lenox	3	SEMHA	No sample				
1252	3/24/03	Lenox	3	SEMHA	No sample				
1253	3/24/03	Lenox	3	SEMHA	1			1390	36
1254	3/24/03	Lenox	3	SEMHA	10			740	37
1255	3/24/03	Lenox	3	SEMHA	No sample				
1256	3/24/03	Lenox	3	SEMHA	No sample				
1257	3/24/03	Lenox	3	SEMHA	1			1230	39
1258	3/24/03	Lenox	3	SEMHA	No sample				
1259	3/24/03	Lenox	3	SEMHA	No sample				
1260	3/24/03	Lenox	3	SEMHA	No sample				
1261	3/24/03	Lenox	3	SEMHA	No sample				
1262	3/24/03	Lenox	2	SEMHA	No sample				
1263	3/24/03	Lenox	2	SEMHA	No sample				
1264	3/24/03	Lenox	2	SEMHA	No sample				
1265	3/26/03	Chesterfield	20	MCHD	10	3.5	3	3999	39
1266	3/26/03	Chesterfield	21	MCHD	No sample				
1267	3/26/03	Chesterfield	21	MCHD	189	2	3		
1268	3/26/03	Chesterfield	21	MCHD	1				
1269	3/26/03	Chesterfield	21	MCHD	No sample				
1270	3/26/03	Chesterfield	21	MCHD	1			1355	52
1271	3/26/03	Chesterfield	21	MCHD	No sample				
1272	3/26/03	Chesterfield	21	MCHD	1334			888	41
1273	3/26/03	Chesterfield	21	MCHD	No sample				
1274	3/26/03	Chesterfield	21	MCHD	No sample				
1275	3/26/03	Chesterfield	21	MCHD	278			3311	41
1276	3/26/03	Chesterfield	21	MCHD	0			1970	42
1277	3/26/03	Chesterfield	21	MCHD	No sample				
1278	3/26/03	Chesterfield	21	MCHD	No sample				
1279	3/26/03	Chesterfield	21	MCHD	1			1764	482
1280	3/26/03	Chesterfield	21	MCHD	1				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1281	3/26/03	Chesterfield	21	MCHD	No sample				
1282	3/26/03	Chesterfield	21	MCHD	No sample				
1283	3/26/03	Chesterfield	21	MCHD	No sample				
1284	3/26/03	Chesterfield	21	MCHD	1			2018	44
1285	3/26/03	Chesterfield	21	MCHD	52			2500	48
1286	3/26/03	Chesterfield	21	MCHD	No sample				
1287	3/26/03	Chesterfield	21	MCHD	No sample				
1288	3/26/03	Chesterfield	21	MCHD	173			2698	41
1289	3/26/03	Chesterfield	21	MCHD	172			2698	41
1290	3/26/03	Chesterfield	21	MCHD	No sample				
1291	3/26/03	Chesterfield	21	MCHD	No sample				
1292	3/26/03	Chesterfield	21	MCHD	No sample				
1293	3/26/03	Chesterfield	21	MCHD	No sample				
1294	3/26/03	Chesterfield	21	MCHD	No sample				
1295	3/26/03	Chesterfield	21	MCHD	No sample				
1296	3/26/03	Chesterfield	21	MCHD	No sample				
1297	3/26/03	Chesterfield	21	MCHD	No sample				
1298	3/26/03	Chesterfield	21	MCHD	No sample				
1299	3/26/03	Chesterfield	21	MCHD	No sample				
1300	3/26/03	Chesterfield	21	MCHD	No sample				
1301	3/26/03	Chesterfield	21	MCHD	No sample				
1302	3/26/03	Chesterfield	21	MCHD	No sample				
1303	3/26/03	Chesterfield	21	MCHD	1				
1304	3/26/03	Chesterfield	21	MCHD	10				
1305	3/26/03	Chesterfield	21	MCHD	1				
1306	3/26/03	Chesterfield	21	MCHD	1				
1307	3/26/03	Chesterfield	21	MCHD	No sample				
1308	3/26/03	Chesterfield	21	MCHD	No sample				
1309	3/26/03	Chesterfield	21	MCHD	No sample				
1310	3/26/03	Chesterfield	21	MCHD	No sample				
1311	3/26/03	Chesterfield	21	MCHD	No sample				
1312	3/26/03	Chesterfield	21	MCHD	No sample				
1313	3/26/03	Chesterfield	21	MCHD	No sample				
1314	3/26/03	Chesterfield	21	MCHD	No sample				
1315	3/26/03	Chesterfield	21	MCHD	No sample				
1316	3/26/03	Chesterfield	21	MCHD	No sample				
1317	3/26/03	Chesterfield	21	MCHD	No sample				
1318	3/26/03	Chesterfield	21	MCHD	No sample				
1319	3/26/03	Chesterfield	21	MCHD	1				
1320	3/26/03	Chesterfield	10	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1321	3/26/03	Chesterfield	10	MCHD	No sample				
1322	3/26/03	Chesterfield	10	MCHD	31			2477	45
1323	3/26/03	Chesterfield	10	MCHD	41			4000	41
1324	3/26/03	Chesterfield	10	MCHD	No sample				
1325	3/26/03	Chesterfield	10	MCHD	No sample				
1326	3/26/03	Chesterfield	10	MCHD	10			1360	41
1327	3/26/03	Chesterfield	10	MCHD	No sample				
1328	3/26/03	Chesterfield	3	MCHD	10			1660	47
1329	3/26/03	Chesterfield	3	MCHD	No sample				
1330	3/26/03	Chesterfield	4	MCHD	278			3850	44
1331	3/26/03	Chesterfield	4	MCHD	No sample				
1332	3/26/03	Chesterfield	4	MCHD	No sample				
1333	3/26/03	Chesterfield	4	MCHD	10			1800	45
1334	4/1/03	Lenox	35	MCHD	No sample				
1335	4/1/03	Lenox	35	MCHD	No sample				
1336	4/1/03	Lenox	35	MCHD	No sample				
1337	4/1/03	Lenox	35	MCHD	No sample				
1338	4/1/03	Lenox	35	MCHD	No sample				
1339	4/1/03	Lenox	35	MCHD	No sample				
1340	4/2/03	Lenox	26	MCHD	10			140	46
1341	4/2/03	Lenox	26	MCHD	No sample				
1342	4/2/03	Lenox	23	MCHD	No sample				
1343	4/2/03	Lenox	25	MCHD	No sample				
1344	4/3/03	Chesterfield	16	MCHD	1			1567	415
1345	4/3/03	Chesterfield	16	MCHD	63			2405	41
1346	4/3/03	Chesterfield	16	MCHD	1			3472	41
1347	4/3/03	Chesterfield	16	MCHD	1			2507	41
1348	4/3/03	Chesterfield	17	MCHD	No sample				
1349	4/3/03	Chesterfield	17	MCHD	No sample				
1350	4/3/03	Chesterfield	17	MCHD	20			924	42
1351	4/3/03	Chesterfield	8	MCHD	1				
1352	4/3/03	Chesterfield	8	MCHD	771				
1353	4/3/03	Chesterfield	8	MCHD	1			2087	45
1354	4/3/03	Chesterfield	8	MCHD	1			2892	45
1355	4/3/03	Chesterfield	8	MCHD	1			1428	53
1356	4/3/03	Lenox	36	MCHD	No sample				
1357	4/3/03	Lenox	36	MCHD	No sample				
1358	4/3/03	Lenox	36	MCHD	No sample				
1359	4/3/03	Lenox	36	MCHD	No sample				
1360	4/3/03	Lenox	35	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1361	4/3/03	Lenox	35	MCHD	No sample				
1362	4/3/03	Chesterfield	2	MCHD	10			1150	44
1363	4/16/03	New Haven	33	MCHD	85			1151	43
1364	4/16/03	New Haven	33	MCHD	1616			3050	45
1365	4/16/03	New Haven	33	MCHD	No sample				
1366	4/16/03	New Haven	33	MCHD	1			2137	44
1367	4/16/03	New Haven	33	MCHD	0			1107	45
1368	4/16/03	New Haven	33	MCHD	No sample				
1369	4/16/03	New Haven	33	MCHD	No sample				
1370	4/16/03	New Haven	33	MCHD	82		0.75	496	45
1371	4/16/03	New Haven	33	MCHD	24192		3		
1372	4/16/03	New Haven	33	MCHD	No sample				
1373	4/16/03	New Haven	29	MCHD	1			1302	47
1374	4/16/03	New Haven	29	MCHD	1			2363	46
1375	4/16/03	New Haven	28	MCHD	332			936	53
1376	4/16/03	New Haven	28	MCHD	216			868	53
1377	4/23/03	Chesterfield	27	MCHD	No sample				
1378	4/23/03	Chesterfield	27	MCHD	74			940	44
1379	4/23/03	Chesterfield	27	MCHD	1			2864	47
1380	4/23/03	Chesterfield	27	MCHD	41			1389	44
1381	4/23/03	Chesterfield	27	MCHD	No sample				
1382	4/23/03	Chesterfield	27	MCHD	No sample				
1383	4/23/03	Chesterfield	27	MCHD	148			1174	47
1384	4/23/03	Chesterfield	27	MCHD	No sample				
1385	4/23/03	Chesterfield	27	MCHD	712			2975	49
1386	4/23/03	Chesterfield	27	MCHD	No sample				
1387	4/23/03	Chesterfield	27	MCHD	No sample				
1388	4/23/03	Chesterfield	27	MCHD	No sample				
1389	4/23/03	Chesterfield	27	MCHD	No sample				
1390	4/23/03	Chesterfield	27	MCHD	No sample				
1391	4/23/03	Chesterfield	27	MCHD	1				
1392	4/23/03	Chesterfield	27	MCHD	No sample				
1393	4/23/03	Chesterfield	22	MCHD	No sample				
1394	4/23/03	Chesterfield	22	MCHD	No sample				
1395	4/23/03	Chesterfield	22	MCHD	No sample				
1396	4/23/03	Chesterfield	22	MCHD	No sample				
1397	4/23/03	Chesterfield	22	MCHD	41			1119	58
1398	4/24/03	Chesterfield	22	MCHD	No sample				
1399	4/24/03	Chesterfield	22	MCHD	No sample				
1400	4/24/03	Chesterfield	22	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1401	4/24/03	Chesterfield	22	MCHD	No sample				
1402	4/24/03	Chesterfield	22	MCHD	No sample				
1403	4/24/03	Chesterfield	22	MCHD	No sample				
1404	4/24/03	Chesterfield	22	MCHD	No sample				
1405	4/24/03	Chesterfield	22	MCHD	No sample				
1406	4/24/03	Chesterfield	22	MCHD	24192				
1407	4/24/03	Chesterfield	22	MCHD	1				
1408	4/24/03	Chesterfield	22	MCHD	857				
1409	4/24/03	Chesterfield	22	MCHD	20				
1410	4/24/03	Chesterfield	22	MCHD	10				
1411	4/24/03	Chesterfield	22	MCHD	1				
1412	4/24/03	Chesterfield	22	MCHD	240				
1413	4/24/03	Chesterfield	22	MCHD	No sample				
1414	4/24/03	Chesterfield	22	MCHD	No sample				
1415	4/24/03	Chesterfield	22	MCHD	20				
1416	4/24/03	Chesterfield	22	MCHD	1				
1417	4/24/03	Chesterfield	22	MCHD	74				
1418	4/24/03	Chesterfield	22	MCHD	1				
1419	4/24/03	Chesterfield	22	MCHD	41				
1420	4/24/03	Chesterfield	22	MCHD	No sample				
1421	4/24/03	Chesterfield	22	MCHD	428				
1422	4/24/03	Chesterfield	22	MCHD	No sample				
1423	4/24/03	Chesterfield	22	MCHD	No sample				
1424	4/28/03	Chesterfield	16	MCHD	1				
1425	4/28/03	Chesterfield	16	MCHD	41				
1426	4/28/03	Chesterfield	16	MCHD	305				
1427	4/28/03	Chesterfield	16	MCHD	1				
1428	4/28/03	Chesterfield	16	MCHD	435				
1429	4/28/03	Chesterfield	16	MCHD	576				
1430	4/28/03	Chesterfield	16	MCHD	1607				
1431	5/20/03	Chesterfield	8	MCHD	107				
1432	5/7/03	Chesterfield	8	MCHD	No sample				
1433	5/7/03	Chesterfield	8	MCHD	No sample				
1434	5/7/03	Chesterfield	8	MCHD	No sample				
1435	5/7/03	Chesterfield	15	MCHD	No sample				
1436	5/7/03	Chesterfield	16	MCHD	74			584	50
1437	5/7/03	Chesterfield	16	MCHD	160			2523	57
1438	5/7/03	Chesterfield	16	MCHD	10	3.5	1	3301	55
1439	5/7/03	Chesterfield	16	MCHD	1			1999	55
1440	5/7/03	Chesterfield	16	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1441	5/7/03	Chesterfield	16	MCHD	No sample				
1442	5/7/03	Chesterfield	16	MCHD	No sample				
1443	5/7/03	Chesterfield	16	MCHD	1669			3999	60
1444	5/8/03	Chesterfield	17	MCHD	31			1856	58
1445	5/8/03	Chesterfield	17	MCHD	74			3012	55
1446	5/8/03	Chesterfield	17	MCHD	No sample				
1447	5/8/03	Chesterfield	17	MCHD	No sample				
1448	5/8/03	Chesterfield	17	MCHD	No sample				
1449	5/8/03	Chesterfield	17	MCHD	10			1072	53
1450	5/8/03	Chesterfield	17	MCHD	109			953	51
1451	5/8/03	Chesterfield	17	MCHD	72			1075	50
1452	5/8/03	Chesterfield	17	MCHD	No sample				
1453	5/8/03	Chesterfield	17	MCHD	No sample				
1454	5/8/03	Chesterfield	16	MCHD	24192			988	51
1455	5/8/03	Chesterfield	16	MCHD	No sample				
1456	5/8/03	Chesterfield	16	MCHD	No sample				
1457	5/8/03	Chesterfield	16	MCHD	No sample				
1458	5/8/03	Chesterfield	16	MCHD	1281			1484	53
1459	5/8/03	Chesterfield	16	MCHD	No sample				
1460	5/8/03	Chesterfield	9	MCHD	No sample				
1461	5/8/03	Chesterfield	9	MCHD	1			630	53
1462	5/8/03	Chesterfield	9	MCHD	201				
1463	5/8/03	Chesterfield	9	MCHD	435				
1464	5/8/03	Chesterfield	9	MCHD	259				
1465	5/8/03	Chesterfield	9	MCHD	No sample				
1466	5/13/03	Chesterfield	9	MCHD	No sample				
1467	5/13/03	Chesterfield	9	MCHD	11199			1158	49
1468	5/13/03	Chesterfield	9	MCHD	24192				
1469	5/13/03	Chesterfield	9	MCHD	24192			2139	50
1470	5/13/03	Chesterfield	9	MCHD	24192			840	51
1471	5/13/03	Chesterfield	9	MCHD	No sample				
1472	5/13/03	Chesterfield	9	MCHD	No sample				
1473	5/13/03	Chesterfield	9	MCHD	No sample				
1474	5/13/03	Chesterfield	9	MCHD	No sample				
1475	5/13/03	Chesterfield	9	MCHD	No sample				
1476	5/13/03	Chesterfield	9	MCHD	No sample				
1477	5/13/03	Chesterfield	9	MCHD	74			940	54
1478	5/13/03	Chesterfield	9	MCHD	No sample				
1479	5/13/03	Chesterfield	9	MCHD	No sample				
1480	5/13/03	Chesterfield	9	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1481	5/13/03	Chesterfield	9	MCHD	74			1064	50
1482	5/13/03	Chesterfield	9	MCHD	41			1800	51
1483	5/13/03	Chesterfield	9	MCHD	20			760	57
1484	5/13/03	Chesterfield	9	MCHD	No sample				
1485	5/13/03	Chesterfield	9	MCHD	1			1250	560
1486	5/13/03	Chesterfield	9	MCHD	1			2300	57
1487	5/13/03	Chesterfield	9	MCHD	No sample				
1488	5/13/03	Chesterfield	9	MCHD	No sample				
1489	5/13/03	Chesterfield	9	MCHD	1				
1490	5/14/03	Chesterfield	3	MCHD	No sample				
1491	5/14/03	Chesterfield	3	MCHD	No sample				
1492	5/14/03	Chesterfield	3	MCHD	No sample				
1493	5/14/03	Chesterfield	3	MCHD	No sample				
1494	5/14/03	Chesterfield	03	MCHD	No sample				
1495	5/14/03	Chesterfield	03	MCHD	1			3822	81
1496	5/14/03	Chesterfield	03	MCHD	52				
1497	5/14/03	Chesterfield	03	MCHD	No sample				
1498	5/14/03	Chesterfield	03	MCHD	No sample				
1499	5/14/03	Chesterfield	03	MCHD	No sample				
1500	5/14/03	Chesterfield	33	MCHD	41				
1501	5/14/03	Chesterfield	33	MCHD	No sample				
1502	5/15/03	Chesterfield	28	MCHD	No sample				
1503	5/15/03	Chesterfield	28	MCHD	No sample				
1504	5/15/03	Chesterfield	28	MCHD	No sample				
1505	5/15/03	Chesterfield	28	MCHD	No sample				
1506	5/15/03	Chesterfield	28	MCHD	10			3127	51
1507	5/15/03	Chesterfield	28	MCHD	354			1431	51
1508	5/15/03	Chesterfield	28	MCHD	No sample				
1509	5/15/03	Chesterfield	28	MCHD	1			2468	61
1510	5/15/03	Chesterfield	28	MCHD	No sample				
1511	5/15/03	Chesterfield	28	MCHD	No sample				
1512	5/15/03	Chesterfield	28	MCHD	No sample				
1513	5/15/03	Chesterfield	28	MCHD	No sample				
1514	5/15/03	Chesterfield	28	MCHD	No sample				
1515	5/15/03	Chesterfield	28	MCHD	No sample				
1516	5/15/03	Chesterfield	28	MCHD	No sample				
1517	5/15/03	Chesterfield	28	MCHD	No sample				
1518	5/15/03	Chesterfield	28	MCHD	No sample				
1519	5/15/03	Chesterfield	28	MCHD	No sample				
1520	5/15/03	Chesterfield	28	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1521	5/19/03	Chesterfield	30	MCHD	No sample				
1522	5/19/03	Chesterfield	30	MCHD	No sample				
1523	5/19/03	Chesterfield	30	MCHD	No sample				
1524	5/19/03	Chesterfield	30	MCHD	No sample				
1525	5/19/03	Chesterfield	30	MCHD	No sample				
1526	5/19/03	Chesterfield	30	MCHD	2359			612	56
1527	5/19/03	Chesterfield	30	MCHD	No sample				
1528	5/19/03	Chesterfield	30	MCHD	No sample				
1529	5/21/03	Chesterfield	29	MCHD	No sample				
1530	5/21/03	Chesterfield	29	MCHD	No sample				
1531	5/21/03	Chesterfield	29	MCHD	No sample				
1532	5/21/03	Chesterfield	29	MCHD	No sample				
1533	5/21/03	Chesterfield	29	MCHD	No sample				
1534	5/21/03	Chesterfield	29	MCHD	No sample				
1535	5/21/03	Chesterfield	29	MCHD	No sample				
1536	5/21/03	Chesterfield	29	MCHD	No sample				
1537	5/21/03	Chesterfield	29	MCHD	No sample				
1538	5/21/03	Chesterfield	29	MCHD	No sample				
1539	5/28/03	Chesterfield	1	MCHD	No sample				
1540	5/28/03	Chesterfield	1	MCHD	No sample				
1541	5/28/03	Chesterfield	1	MCHD	No sample				
1542	5/28/03	Chesterfield	1	MCHD	No sample				
1543	5/28/03	Chesterfield	1	MCHD	No sample				
1544	5/28/03	Chesterfield	1	MCHD	No sample				
1545	5/28/03	Clinton	1	MCHD	No sample				
1546	5/28/03	Clinton	1	MCHD	No sample				
1547	5/28/03	Clinton	1	MCHD	No sample				
1548	5/28/03	Clinton	1	MCHD	No sample				
1549	5/28/03	Clinton	1	MCHD	10				
1550	5/28/03	Clinton	1	MCHD	10			900	62
1551	5/28/03	Clinton	1	MCHD	No sample				
1552	5/28/03	Clinton	1	MCHD	No sample				
1553	5/28/03	Clinton	1	MCHD	10	0.4		3999	63
1554	5/28/03	Clinton	1	MCHD	24192				
1555	5/28/03	Clinton	1	MCHD	No sample				
1556	5/28/03	Clinton	1	MCHD	No sample				
1557	5/28/03	Clinton	1	MCHD	No sample				
1558	5/28/03	Clinton	1	MCHD	No sample				
1559	5/28/03	Clinton	1	MCHD	No sample				
1560	6/3/03	Chesterfield	15	MCHD	345			750	57

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1561	6/3/03	Chesterfield	15	MCHD	10			1220	58
1562	6/3/03	Chesterfield	15	MCHD	No sample				
1563	6/3/03	Chesterfield	15	MCHD	185			925	57
1564	6/3/03	Chesterfield	15	MCHD	No sample				
1565	6/3/03	Chesterfield	15	MCHD	10			1200	58
1566	6/3/03	Chesterfield	15	MCHD	1989			1600	61
1567	6/3/03	Chesterfield	15	MCHD	20			950	56
1568	6/3/03	Chesterfield	15	MCHD	1211			1140	55
1569	6/3/03	Chesterfield	15	MCHD	135			900	56
1570	6/3/03	Chesterfield	15	MCHD	122			840	56
1571	6/3/03	Chesterfield	15	MCHD	No sample				
1572	6/3/03	Chesterfield	15	MCHD	No sample				
1573	6/3/03	Chesterfield	15	MCHD	No sample				
1574	6/3/03	Chesterfield	30	MCHD	0				
1575	6/3/03	Chesterfield	30	MCHD	0				
1576	6/3/03	Chesterfield	30	MCHD	0				
1577	6/3/03	Chesterfield	30	MCHD	1396			963	57
1578	6/3/03	Chesterfield	30	MCHD	No sample				
1579	6/3/03	Chesterfield	30	MCHD	No sample				
1580	6/3/03	Chesterfield	30	MCHD	1				
1581	6/3/03	Chesterfield	30	MCHD	No sample				
1582	6/3/03	Chesterfield	30	MCHD	No sample				
1583	6/3/03	Chesterfield	30	MCHD	No sample				
1584	6/3/03	Chesterfield	30	MCHD	No sample				
1585	6/3/03	Chesterfield	30	MCHD	96			878	57
1586	6/3/03	Chesterfield	30	MCHD	No sample				
1587	6/3/03	Chesterfield	30	MCHD	No sample				
1588	6/3/03	Chesterfield	30	MCHD	No sample				
1589	6/3/03	Chesterfield	30	MCHD	0			1000	57
1590	6/3/03	Chesterfield	30	MCHD	243			1467	57
1591	6/3/03	Chesterfield	30	MCHD	1			918	57
1592	6/3/03	Chesterfield	30	MCHD	41			929	54
1593	6/3/03	Chesterfield	30	MCHD	No sample				
1594	6/3/03	Chesterfield	30	MCHD	No sample				
1595	6/3/03	Chesterfield	30	MCHD	677				
1596	6/3/03	Chesterfield	30	MCHD	No sample				
1597	6/3/03	Chesterfield	SZ	MCHD	52			3769	57
1598	6/9/03	Chesterfield	20	MCHD	683			3999	66
1599	6/9/03	Chesterfield	20	MCHD	1081			1103	65
1600	6/9/03	Chesterfield	20	MCHD	987			938	67

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1601	6/9/03	Chesterfield	20	MCHD	5475			724	59
1602	6/9/03	Chesterfield	20	MCHD	388			1105	57
1603	6/9/03	Chesterfield	20	MCHD	4106			833	57
1604	6/9/03	Chesterfield	20	MCHD	No sample				
1605	6/9/03	Chesterfield	20	MCHD	985			1535	65
1606	6/9/03	Chesterfield	20	MCHD	336			688	59
1607	6/9/03	Chesterfield	20	MCHD	0			647	62
1608	6/9/03	Chesterfield	20	MCHD	2035			3999	60
1609	6/9/03	Chesterfield	20	MCHD	0			2679	72
1610	6/10/03	Chesterfield	19	MCHD	No sample				
1611	6/10/03	Chesterfield	19	MCHD	No sample				
1612	6/10/03	Chesterfield	19	MCHD	428			1106	61
1613	6/10/03	Chesterfield	19	MCHD	52			1381	58
1614	6/10/03	Chesterfield	19	MCHD	No sample				
1615	6/10/03	Chesterfield	19	MCHD	520			1508	62
1616	6/10/03	Chesterfield	19	MCHD	382				
1617	6/10/03	Chesterfield	18	MCHD	85			977	62
1618	6/10/03	Chesterfield	18	MCHD	30			1435	55
1619	6/10/03	Chesterfield	18	MCHD	131				
1620	6/10/03	Chesterfield	18	MCHD	155			673	65
1621	6/10/03	Chesterfield	18	MCHD	No sample				
1622	6/10/03	Chesterfield	18	MCHD	448				
1623	6/10/03	Chesterfield	18	MCHD	No sample				
1624	6/10/03	Chesterfield	15	MCHD	No sample				
1625	6/10/03	Chesterfield	15	MCHD	No sample				
1626	6/10/03	Chesterfield	15	MCHD	No sample				
1627	6/10/03	Chesterfield	15	MCHD	No sample				
1628	6/10/03	Chesterfield	15	MCHD	No sample				
1629	6/10/03	Chesterfield	15	MCHD	No sample				
1630	6/10/03	Chesterfield	15	MCHD	No sample				
1631	6/10/03	Chesterfield	15	MCHD	No sample				
1632	6/10/03	Chesterfield	15	MCHD	No sample				
1633	6/10/03	Chesterfield	15	MCHD	No sample				
1634	6/10/03	Chesterfield	15	MCHD	10			1200	58
1635	6/10/03	Chesterfield	10	MCHD	10			3200	62
1636	6/10/03	Chesterfield	5	MCHD	No sample				
1637	6/11/03	Lenox	33	MCHD	24192				
1638	6/11/03	Lenox	32	MCHD	No sample				
1639	6/11/03	Lenox	32	MCHD	No sample				
1640	6/11/03	Lenox	32	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1641	5/22/03	Chesterfield	31	MCHD	6867			1227	51
1642	5/22/03	Chesterfield	31	MCHD	No sample				
1643	5/22/03	Chesterfield	31	MCHD	No sample				
1644	5/22/03	Chesterfield	29	MCHD	No sample				
1645	5/22/03	Chesterfield	29	MCHD	No sample				
1646	5/22/03	Chesterfield	29	MCHD	No sample				
1647	5/22/03	Chesterfield	29	MCHD	No sample				
1648	5/22/03	Chesterfield	29	MCHD	No sample				
1649	5/22/03	Chesterfield	29	MCHD	No sample				
1650	5/22/03	Chesterfield	29	MCHD	No sample				
1651	5/22/03	Chesterfield	29	MCHD	No sample				
1652	5/22/03	Chesterfield	29	MCHD	No sample				
1653	5/22/03	Chesterfield	20	MCHD	No sample				
1654	5/22/03	Chesterfield	20	MCHD	No sample				
1655	5/22/03	Chesterfield	20	MCHD	No sample				
1656	5/22/03	Chesterfield	20	MCHD	No sample				
1657	5/29/03	Chesterfield	29	MCHD	No sample				
1658	5/29/03	Chesterfield	29	MCHD	No sample				
1659	5/29/03	Chesterfield	29	MCHD	0			977	58
1660	5/29/03	Chesterfield	29	MCHD	No sample				
1661	5/29/03	Chesterfield	29	MCHD	No sample				
1662	5/29/03	Chesterfield	29	MCHD	0			651	57
1663	5/29/03	Chesterfield	29	MCHD	0			1536	61
1664	6/2/03	Chesterfield	29	MCHD	No sample				
1665	6/2/03	Chesterfield	29	MCHD	No sample				
1666	6/18/03	Chesterfield	30	MCHD	97			625	61
1667	6/18/03	Chesterfield	30	MCHD	9			455	73
1668	6/18/03	Chesterfield	30	MCHD	No sample				
1669	6/18/03	Chesterfield	30	MCHD	24192				
1670	6/18/03	Chesterfield	30	MCHD	No sample				
1671	6/18/03	Chesterfield	30	MCHD	41				
1672	6/25/03	Chesterfield	2	MCHD	292			1140	66
1673	6/25/03	Lenox	34	MCHD	No sample				
1674	6/25/03	Lenox	34	MCHD	No sample				
1675	6/25/03	Lenox	34	MCHD	3654			630	73
1676	6/25/03	Lenox	34	MCHD	No sample				
1677	6/25/03	Lenox	34	MCHD	No sample				
1678	6/25/03	Lenox	34	MCHD	No sample				
1679	6/25/03	Lenox	34	MCHD	No sample				
1680	6/25/03	Lenox	34	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1681	6/25/03	Lenox	34	MCHD	No sample				
1682	6/25/03	Lenox	34	MCHD	No sample				
1683	6/25/03	Chesterfield	32	MCHD	No sample				
1684	6/25/03	Chesterfield	32	MCHD	No sample				
1685	6/25/03	Chesterfield	32	MCHD	No sample				
1686	6/25/03	Chesterfield	32	MCHD	No sample				
1687	6/25/03	Chesterfield	32	MCHD	No sample				
1688	6/25/03	Chesterfield	32	MCHD	No sample				
1689	6/25/03	Chesterfield	35	MCHD	No sample				
1690	6/25/03	Chesterfield	32	MCHD	63				
1691	6/25/03	Chesterfield	32	MCHD	No sample				
1692	6/25/03	Chesterfield	32	MCHD	No sample				
1693	6/25/03	Chesterfield	32	MCHD	No sample				
1694	6/26/03	Lenox	13	MCHD	No sample				
1695	6/26/03	Lenox	13	MCHD	No sample				
1696	6/26/03	Lenox	12	MCHD	No sample				
1697	6/26/03	Lenox	12	MCHD	No sample				
1698	6/26/03	Lenox	12	MCHD	No sample				
1699	6/26/03	Lenox	11	MCHD	No sample				
1700	6/26/03	Lenox	11	MCHD	No sample				
1701	6/26/03	Lenox	11	MCHD	No sample				
1702	7/2/03	Chesterfield	19	MCHD	No sample				
1703	7/2/03	Chesterfield	19	MCHD	No sample				
1704	7/2/03	Lenox	25	MCHD	No sample				
1705	7/2/03	Lenox	6	MCHD	No sample				
1706	7/2/03	Lenox	6	MCHD	No sample				
1707	7/2/03	Lenox	6	MCHD	No sample				
1708	7/7/03	Richmond	2	MCHD	No sample				
1709	7/7/03	Richmond	2	MCHD	2282			115	59
1710	7/7/03	Richmond	2	MCHD	No sample				
1711	7/7/03	Richmond	2	MCHD	10			1200	60
1712	7/7/03	Richmond	2	MCHD	1236			920	63
1713	7/7/03	Richmond	2	MCHD	No sample				
1714	7/7/03	Richmond	10	MCHD	10			200	59
1715	7/9/03	Lenox	22	MCHD	No sample				
1716	7/9/03	Lenox	22	MCHD	No sample				
1717	7/9/03	Lenox	22	MCHD	24192				
1718	7/9/03	Lenox	23	MCHD	No sample				
1719	7/9/03	Lenox	24	MCHD	No sample				
1720	7/17/03	Lenox	11	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1721	7/17/03	Lenox	11	MCHD	No sample				
1722	7/17/03	Lenox	11	MCHD	No sample				
1723	7/17/03	Lenox	11	MCHD	No sample				
1724	7/17/03	Lenox	11	MCHD	880	0.2	0.25	1365	68
1725	7/24/03	Lenox	25	MCHD	No sample				
1726	7/24/03	Lenox	25	MCHD	No sample				
1727	7/24/03	Chesterfield	16	MCHD	No sample				
1728	7/24/03	Chesterfield	16	MCHD	No sample				
1729	7/28/03	Richmond	35	MCHD	No sample				
1730	7/28/03	Richmond	35	MCHD	No sample				
1731	7/28/03	Richmond	35	MCHD	17329				
1732	7/28/03	Richmond	35	MCHD	24192				
1733	7/28/03	Richmond	35	MCHD	No sample				
1734	7/28/03	Richmond	35	MCHD	No sample				
1735	7/28/03	Richmond	35	MCHD	No sample				
1736	7/28/03	Richmond	35	MCHD	No sample				
1737	7/31/03	Richmond	34	MCHD	No sample				
1738	7/31/03	Richmond	34	MCHD	24192				
1739	7/31/03	Richmond	34	MCHD	No sample				
1740	7/31/03	Richmond	34	MCHD	No sample				
1741	7/31/03	Richmond	34	MCHD	No sample				
1742	7/31/03	Richmond	34	MCHD	No sample				
1743	7/31/03	Richmond	34	MCHD	10				
1744	7/31/03	Richmond	34	MCHD	No sample				
1745	7/31/03	Richmond	34	MCHD	30				
1746	7/31/03	Richmond	34	MCHD	9804				
1747	7/31/03	Richmond	34	MCHD	No sample				
1748	7/31/03	Richmond	34	MCHD	24192				
1749	7/31/03	Richmond	34	MCHD	No sample				
1750	7/31/03	Richmond	34	MCHD	No sample				
1751	7/31/03	Richmond	34	MCHD	No sample				
1752	7/31/03	Richmond	34	MCHD	No sample				
1753	7/31/03	Richmond	34	MCHD	No sample				
1754	7/31/03	Richmond	34	MCHD	No sample				
1755	7/31/03	Richmond	34	MCHD	10				
1756	7/31/03	Richmond	34	MCHD	No sample				
1757	7/31/03	Richmond	34	MCHD	No sample				
1758	7/31/03	Richmond	34	MCHD	309				
1759	8/7/03	Armada	12	MCHD	No sample				
1760	8/7/03	Armada	10	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1761	8/18/03	Fraser		MCHD	11199			570	67
1762	8/18/03	Fraser		MCHD	1067			1400	62
1763	8/18/03	Fraser		MCHD	No sample				
1764	8/18/03	Fraser		MCHD	No sample				
1765	8/18/03	Fraser		MCHD	15531			1300	67
1766	8/18/03	Fraser		MCHD	292			2530	65
1767	8/18/03	Fraser		MCHD	0				
1768	8/18/03	Fraser		MCHD	3854			900	70
1769	8/18/03	Fraser		MCHD	1515				
1770	8/18/03	Fraser		MCHD	No sample				
1771	8/18/03	Fraser		MCHD	426			1650	69
1772	8/18/03	Fraser		MCHD	No sample				
1773	8/18/03	Fraser		MCHD	No sample				
1774	8/18/03	Fraser		MCHD	1782			830	70
1775	8/18/03	Fraser		MCHD	No sample				
1776	8/18/03	Fraser		MCHD	No sample				
1777	8/18/03	Fraser		MCHD	No sample				
1778	8/18/03	Fraser		MCHD	No sample				
1779	8/18/03	Fraser		MCHD	No sample				
1780	8/18/03	Fraser		MCHD	No sample				
1781	8/18/03	Fraser		MCHD	No sample				
1782	8/18/03	Fraser		MCHD	No sample				
1783	8/18/03	Fraser		MCHD	No sample				
1784	8/18/03	Fraser		MCHD	No sample				
1785	8/18/03	Fraser		MCHD	12033			1000	74
1786	8/18/03	Fraser		MCHD	No sample				
1787	8/18/03	Fraser		MCHD	No sample				
1788	8/18/03	Fraser		MCHD	No sample				
1789	8/18/03	Fraser		MCHD	No sample				
1790	8/18/03	Fraser		MCHD	7270		0.25		
1791	8/18/03	Fraser		MCHD	2700			900	72
1792	8/18/03	Fraser		MCHD	24192			1700	67
1793	8/18/03	Fraser		MCHD	No sample				
1794	8/18/03	Fraser		MCHD	No sample				
1795	8/18/03	Fraser		MCHD	882				
1796	8/18/03	Fraser		MCHD	No sample				
1797	8/18/03	Fraser		MCHD	No sample				
1798	8/18/03	Fraser		MCHD	No sample				
1799	8/20/03	Fraser		MCHD	1892			1280	72
1800	8/20/03	Fraser		MCHD	0			1280	72

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1801	8/20/03	Fraser		MCHD	269			1250	65
1802	8/20/03	Fraser		MCHD	No sample				
1803	8/20/03	Fraser		MCHD	No sample				
1804	8/20/03	Fraser		MCHD	No sample				
1805	8/20/03	Fraser		MCHD	No sample				
1806	8/20/03	Fraser		MCHD	No sample				
1807	8/20/03	Fraser		MCHD	No sample				
1808	8/20/03	Fraser		MCHD	No sample				
1809	8/20/03	Fraser		MCHD	No sample				
1810	8/20/03	Fraser		MCHD	No sample				
1811	8/20/03	Fraser		MCHD	No sample				
1812	8/20/03	Fraser		MCHD	No sample				
1813	8/20/03	Fraser		MCHD	408			1300	66
1814	8/20/03	Fraser		MCHD	203				
1815	8/20/03	Fraser		MCHD	86			760	72
1816	8/20/03	Fraser		MCHD	No sample				
1817	8/20/03	Fraser		MCHD	No sample				
1818	8/20/03	Fraser		MCHD	108			800	71
1819	8/20/03	Fraser		MCHD	228				
1820	8/20/03	Fraser		MCHD	708			1330	68
1821	8/20/03	Fraser		MCHD	10				
1822	8/20/03	Fraser		MCHD	No sample				
1823	8/20/03	Fraser		MCHD	No sample				
1824	8/20/03	Fraser		MCHD	No sample				
1825	8/20/03	Fraser		MCHD	10			1000	72
1826	8/20/03	Fraser		MCHD	No sample				
1827	8/20/03	Fraser		MCHD	10				
1828	8/20/03	Fraser		MCHD	No sample				
1829	8/20/03	Fraser		MCHD	No sample				
1830	8/20/03	Fraser		MCHD	No sample				
1831	9/10/03	Richmond	29	MCHD	24192				
1832	9/10/03	Richmond	22	MCHD	No sample				
1833	7/10/03	Clinton	34	MCHD	341			3999	66
1834	7/10/03	Clinton	34	MCHD	759			3999	67
1835	7/10/03	Clinton	34	MCHD	563				
1836	7/10/03	Clinton	34	MCHD	759				
1837	7/10/03	Clinton	34	MCHD	0				
1838	7/10/03	Clinton	34	MCHD	836			1428	70
1839	7/11/03	Clinton	35	MCHD	722				
1840	7/10/03	Clinton	34	MCHD	10				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1841	7/10/03	Clinton	24	MCHD	933				
1842	7/10/03	Clinton	24	MCHD	24192				
1843	7/10/03	Clinton	25	MCHD	594			1752	70
1844	7/10/03	Clinton	26	MCHD	No sample				
1845	7/10/03	Clinton	27	MCHD	203				
1846	7/10/03	Clinton	28	MCHD	784			1356	72
1847	7/10/03	Clinton	29	MCHD	663			404	68
1848	7/10/03	Clinton	30	MCHD	No sample				
1849	7/10/03	Clinton	31	MCHD	No sample				
1850	7/10/03	Clinton	32	MCHD	No sample				
1851	7/10/03	Clinton	33	MCHD	No sample				
1852	7/10/03	Clinton	34	MCHD	No sample				
1853	8/14/03	Clinton	35	MCHD	41	0.2	0.25	1323	76
1854	8/14/03	Clinton	35	MCHD	987	0.2	0.25	2823	76
1855	8/14/03	Clinton	35	MCHD	4352			1163	67
1856	8/14/03	Clinton	35	MCHD	1296			640	70
1857	8/14/03	Clinton	35	MCHD	No sample				
1858	8/14/03	Clinton	35	MCHD	No sample				
1859	8/14/03	Clinton	35	MCHD	1071			3949	66
1860	8/14/03	Clinton	35	MCHD	No sample				
1861	8/14/03	Clinton	35	MCHD	No sample				
1862	8/14/03	Clinton	35	MCHD	No sample				
1863	8/14/03	Clinton	35	MCHD	No sample				
1864	8/14/03	Clinton	35	MCHD	24192	8	3	2828	73
1865	8/14/03	Clinton	35	MCHD	No sample				
1866	7/23/03	Sterling Heights	24	MCHD	0				
1867	7/23/03	Sterling Heights	24	MCHD	0				
1868	7/23/03	Sterling Heights	24	MCHD	1178			1554	67
1869	7/23/03	Sterling Heights	24	MCHD	0				
1870	7/23/03	Sterling Heights	24	MCHD	2014			1825	68
1871	7/23/03	Sterling Heights	24	MCHD	2755				
1872	7/23/03	Sterling Heights	24	MCHD	1782			1254	71
1873	7/23/03	Sterling Heights	24	MCHD	0				
1874	7/23/03	Sterling Heights	24	MCHD	0				
1875	7/23/03	Sterling Heights	24	MCHD	0				
1876	7/23/03	Sterling Heights	24	MCHD	0				
1877	7/24/03	Sterling Heights	23	MCHD	0				
1878	7/24/03	Sterling Heights	23	MCHD	10				
1879	7/24/03	Sterling Heights	23	MCHD	No sample				
1880	7/24/03	Sterling Heights	23	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1881	7/24/03	Sterling Heights	23	MCHD	No sample				
1882	7/24/03	Sterling Heights	23	MCHD	No sample				
1883	7/24/03	Sterling Heights	23	MCHD	No sample				
1884	7/24/03	Sterling Heights	23	MCHD	No sample				
1885	7/24/03	Sterling Heights	23	MCHD	63			1849	64
1886	7/24/03	Sterling Heights	23	MCHD	0			2064	64
1887	7/24/03	Sterling Heights	23	MCHD	1112			2136	66
1888	7/24/03	Sterling Heights	23	MCHD	No sample				
1889	7/24/03	Sterling Heights	23	MCHD	51			1068	67
1890	7/24/03	Sterling Heights	23	MCHD	1439			2585	65
1891	7/24/03	Sterling Heights	23	MCHD	768			1374	65
1892	7/24/03	Sterling Heights	23	MCHD	No sample				
1893	7/24/03	Sterling Heights	23	MCHD	No sample				
1894	7/24/03	Sterling Heights	23	MCHD	No sample				
1895	7/24/03	Sterling Heights	23	MCHD	No sample				
1896	7/24/03	Sterling Heights	22	MCHD	No sample				
1897	7/24/03	Sterling Heights	22	MCHD	No sample				
1898	7/24/03	Sterling Heights	22	MCHD	No sample				
1899	7/24/03	Sterling Heights	22	MCHD	No sample				
1900	7/24/03	Sterling Heights	22	MCHD	No sample				
1901	7/24/03	Sterling Heights	22	MCHD	275				
1902	7/24/03	Sterling Heights	22	MCHD	2909				
1903	7/24/03	Sterling Heights	22	MCHD	269				
1904	7/24/03	Sterling Heights	22	MCHD	2755				
1905	7/24/03	Sterling Heights	22	MCHD	No sample				
1906	10/30/03	Sterling Heights	16	MCHD	10				
1907	10/30/03	Sterling Heights	16	MCHD	10			1060	55
1908	10/30/03	Sterling Heights	16	MCHD	No sample				
1909	10/30/03	Sterling Heights	16	MCHD	No sample				
1910	10/30/03	Sterling Heights	16	MCHD	No sample				
1911	10/30/03	Sterling Heights	16	MCHD	No sample				
1912	10/30/03	Sterling Heights	16	MCHD	10			1098	50
1913	10/30/03	Sterling Heights	16	MCHD	2035			3620	54
1914	10/30/03	Sterling Heights	16	MCHD	No sample				
1915	10/30/03	Sterling Heights	16	MCHD	No sample				
1916	10/30/03	Sterling Heights	16	MCHD	754			770	56
1917	10/30/03	Sterling Heights	16	MCHD	10				
1918	10/30/03	Sterling Heights	16	MCHD	No sample				
1919	10/30/03	Sterling Heights	16	MCHD	285			490	50
1920	10/30/03	Sterling Heights	16	MCHD	No sample				

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1921	10/30/03	Sterling Heights	16	MCHD	No sample				
1922	10/30/03	Sterling Heights	16	MCHD	No sample				
1923	10/30/03	Sterling Heights	16	MCHD	No sample				
1924	11/25/03	Fraser		MCHD	0				0
1925	11/25/03	Fraser		MCHD	0				0
1926	11/25/03	Fraser		MCHD	0				0
1927	11/25/03	Fraser		MCHD	0				0
1928	11/25/03	Fraser		MCHD	0				0
1929	11/25/03	Fraser		MCHD	0				0
1930	11/25/03	Fraser		MCHD	0				0
1931	11/25/03	Fraser		MCHD	0				0
1932	11/25/03	Fraser		MCHD	0				0
1933	11/25/03	Fraser		MCHD	0				0
1934	11/25/03	Fraser		MCHD	0				0
1935	11/25/03	Fraser		MCHD	0				0
1936	11/25/03	Fraser		MCHD	0				0
1937	11/25/03	Fraser		MCHD	0				0
1938	11/25/03	Fraser		MCHD	24192	0	0	0	0
1939	11/25/03	Fraser		MCHD	0				0
1940	11/25/03	Fraser		MCHD	0				0
1941	11/25/03	Fraser		MCHD	0				0
1942	11/25/03	Fraser		MCHD	0				0
1943	11/25/03	Fraser		MCHD	0				0
1944	11/25/03	Fraser		MCHD	0				0
1945	11/25/03	Fraser		MCHD	0				0
1946	11/25/03	Fraser		MCHD	0				0
1947	11/25/03	Fraser		MCHD	0				0
1948	11/25/03	Fraser		MCHD	1354	0	0	0	0
1949	11/25/03	Fraser		MCHD	0				0
1950	11/25/03	Fraser		MCHD	24192	0	0	0	0
1951	11/25/03	Fraser		MCHD	0				0
1952	11/25/03	Fraser		MCHD	0				0
1953	11/25/03	Fraser		MCHD	0				0
1954	3/31/04	Chesterfield		MCHD	0				0
1955	3/31/04	Chesterfield		MCHD	0				0
1956	3/31/04	Chesterfield		MCHD	0				0
1957	4/1/04	Bruce	7	MCHD	0				0
1958	4/1/04	Armada	34	MCHD	0				0
1959	4/1/04	Armada	34	MCHD	0				0
1960	4/1/04	Armada	34	MCHD	0				0

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
1961	2/19/03	Chesterfield	27	MCHD	0				0
1962	2/19/03	Chesterfield	27	MCHD	0				0
1963	2/19/03	Chesterfield	27	MCHD	0				0
1964	2/19/03	Chesterfield	27	MCHD	0				0
1965	2/19/03	Chesterfield	27	MCHD	10	0	0	237	35
1966	2/19/03	Chesterfield	27	MCHD	0				0
1967	2/19/03	Chesterfield	27	MCHD	0				0
1968	2/19/03	Chesterfield	27	MCHD	0				0
1969	2/19/03	Chesterfield	27	MCHD	0				0
1970	2/19/03	Chesterfield	27	MCHD	0				0
1971	2/19/03	Chesterfield	27	MCHD	0				0
1972	2/19/03	Chesterfield	27	MCHD	0				0
1973	2/19/03	Chesterfield	27	MCHD	0				0
1974	2/19/03	Chesterfield	27	MCHD	0				0
1975	2/19/03	Chesterfield	27	MCHD	10	0	0	0	0
1976	2/19/03	Chesterfield	27	MCHD	0				0
1977	2/19/03	Chesterfield	27	MCHD	0				0
1978	2/19/03	Chesterfield	27	MCHD	0				0
1979	2/19/03	Chesterfield	27	MCHD	0				0
1980	2/19/03	Chesterfield	27	MCHD	0				0
1981	2/19/03	Chesterfield	27	MCHD	0				0
1982	2/19/03	Chesterfield	27	MCHD	0				0
1983	2/19/03	Chesterfield	27	MCHD	0				0
1984	2/19/03	Chesterfield	27	MCHD	0				0
1985	2/19/03	Chesterfield	27	MCHD	0				0
1986	2/19/03	Chesterfield	27	MCHD	0				0
1987	2/19/03	Chesterfield	27	MCHD	0				0
1988	2/19/03	Chesterfield	27	MCHD	0				0
1989	2/19/03	Chesterfield	27	MCHD	0				0
1990	2/19/03	Chesterfield	27	MCHD	0				0
1991	2/19/03	Chesterfield	27	MCHD	0				0
1992	2/19/03	Chesterfield	27	MCHD	0				0
1993	2/19/03	Chesterfield	22	MCHD	0				0
1994	2/19/03	Chesterfield	22	MCHD	0				0
1995	2/19/03	Chesterfield	22	MCHD	0				0
1996	2/19/03	Chesterfield	22	MCHD	0				0
1997	2/19/03	Chesterfield	22	MCHD	0				0
1998	2/19/03	Chesterfield	23	MCHD	0				0
1999	2/19/03	Chesterfield	23	MCHD	262	0	0	3999	35
2000	2/19/03	Chesterfield	23	MCHD	0				0

Macomb County Health Department
Environmental Health Services Division
Outfall Inventory

Outfall #	DATE	TWP	SEC.	Agency	E. coli MPN/100ml	Ammonia (ppm)	Surfactants (ppm)	Conductivity (uS/cm)	Temperature (C)
2001	2/19/03	Chesterfield	23	MCHD	0				0
2002	2/19/03	Chesterfield	2	MCHD	No Sample				
2003	2/19/03	Chesterfield	2	MCHD	0				0
2004	2/19/03	Chesterfield	3	MCHD	0				0

This document was created with Win2PDF available at http://www.daneprairie.com.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.